

iMilani
innovative
italian
ideas

ESD



iMiCUBE

A brand of:
i'M



50 YEARS OF EXPERIENCE IN PLASTIC BOXES AND CONTAINERS MOULDING

For 50 years we have been looking for ethical and sustainable solutions for the molding of plastic boxes and containers.


Many of the components used in electronic systems are subject to damage from electrostatic charges and other negative influences. Natural environmental factors such as magnetic and electric fields, air humidity and radioactivity can damage or even destroy electronic components.

Electrostatic charge formation

The rubbing together of two insulating materials of different negativity creates an electrostatic charge which, in turn, gives rise to an exchange of electrons. One of the two materials can emit electrons, while the other absorbs them. The same process can also occur in the human body. Electrostatic discharge measurements carried out on humans have recorded values of up to 15,000 volts.

An electrostatically charged person will discharge this charge by approaching a conductive object. The compensating current resulting from this discharge and the electromagnetic fields that will be generated can cause malfunctions in electronic components or, in the worst case, can destroy their functions.


In view of the electrostatic sensitivity of electronic components, it is essential to take precise measures to protect them.




Electromagnetic field surrounding a person with an electrostatic charge (values in Volts)

TECHNICAL SPECIFICATIONS

CONDUCTIVITY SCALE



BASE MATERIAL	Polypropylene copolymer (PPC)
CONDUCTIVITY ADDITIVE	Carbon black
COLOUR	Black
DENSITY, AT 23°C	1.04 g/cm³
VICAT SOFTENING POINT	154° C ISO 306
WORKING TEMPERATURE	Continuous: approx 80-100°C Short term: approx 100-120°C
SURFACE RESISTANCE	less than 10 ⁴ Ω cm [measured according to CEI EN 61340-2-3 at 20°C with a 5 cm² ring electrode].
VOLUME RESISTIVITY	10 ⁴ Ω cm [measured according to CEI EN 61340-2-3 at 20°C with a 5 cm² ring electrode].
AGEING BEHAVIOUR	No deterioration of conductivity (in 7 years of service), no leaching of corrosive substances, excellent UV resistance.
CHEMICAL RESISTANCE	Excellent [according to the generally valid PP classification].



MEGAPRINT®



MINIPRINT®

A complete range of conductive products has been designed and produced by iMilani, in order to satisfy in a safe and logical manner all the problems of the electronics industry. Simplistic and modular designs characterise the iMilani products in this field, with actual solutions for the production, storage, transportation, repair or maintenance of P.C.B.'s and various electronic components. For the manufacture of products, iMilani uses conductive materials of top quality, which offers an ideal and total protection from electrostatic charges or mechanical damage. The iMilani card systems have been found to be ideal used in the sectors of electro/mechanical, electronics, as well as in manufacturing of explosives.

TABLE OF SUB-DIVISION

In the Megaprint® and Miniprint® systems, the choice of the type of divider is easy and quick by consulting the recommended table of sub-divisions. This determines the insertion point of the divider to the size of the P.C.B. to be inserted.

AVAILABLE ON REQUEST

UTILIZZO OTTIMALE MEGA PRINT® 43

UTILIZZO OTTIMALE MEGA PRINT® 64

NT® 64- Possibilità di applicazione


DIVIDERS

The sub-division of the Megaprint® and Miniprint® system is perfectly adaptable to the wide range of sizes of P.C.B.'s, particularly as the sub-dividers have been designed in three variants. The variants are as follows:




NORMAL DISTANCE DIVIDER
MINUS DISTANCE DIVIDER
PLUS DISTANCE DIVIDER

With this system it is possible to vary the distance between dividers by a pitch of 1.7 mm. To simplify the insertion of dividers and P.C.B.'s in the Megaprint® and Miniprint® systems, each slot is referred to by a number which corresponds exactly to the number of the opposite slot.

TECHNICAL SPECIFICATIONS



SLOT WIDTH	2,5 mm
SLOT DEPTH	3,0 mm
SLOT PITCH	5,08 mm
MINIMUM SUB-DIVISION OF THE SYSTEMS	1,7 mm



MEGAPRINT® 400x300



ART.	External dim. mm	Internal dim. mm
ESD MEGA43 5207	400x300x140 H	335x235x140 H

width mm	SLOTS depth mm	pitch mm	MINIMUM SUB-DIVISION of the system mm	SLOT pitches
2,5	3,0	5,08	1,7	4 walls of 5,08 mm

The iMilani Megaprint® system 400x300 is recognized as the leader in the field of production and storage of electronic P.C.B.'s. The system itself has been designed and produced to specifically satisfy the work cycle of P.C.B. production, from their design stage to final production. The system is comprised of four rigid walls stiffened by reinforced aluminium profiles on their external faces, ensuring the boxes to remain straight and robust.

On the internal walls, precision slots are moulded and used to edge locate P.C.B.s. The design of the system is such that, using the sub-dividers, it can be infinitely adjusted to accommodate P.C.B.'s with a dimension less than 235 mm. The Megaprint® 400x300 is clipped onto the top frame of the 400x300 mm series standard containers.



FITS CONTAINERS ART.

AT 4312 A 00 52 07 - AT 4317 A 00 52 07 - AT 4322 A 00 52 07 - AT 4332 A 00 52 07

MINIPRINT® 400x300



ART.	External dim. mm	Internal dim. mm	
ESD MINI43 5207	360x260x98 H	335x235x98 H	4 walls of 5,08 mm


width mm	SLOTS depth mm	pitch mm	MINIMUM SUB-DIVISION of the system mm	SLOT pitches
2,5	3,0	5,08	1,7	

The Miniprint® system 400x300 has the same typical features as the Megaprint® system, with the particular characteristic that it can be inserted completely into the conductive iMilani containers of size 400x300 mm and is suitable for storing P.C.B.'s with a dimension less than 235 mm. For cards which are especially long the Miniprint® system is used in conjunction with the Megaprint® system. The joining of the two systems provides a longer channel, therefore safer transportation and handling of the P.C.B.s.



FITS CONTAINERS ART.

AT 4312 A 00 52 07 - AT 4317 A 00 52 07 - AT 4322 A 00 52 07 - AT 4332 A 00 52 07



An example of using a Megaprint® in conjunction with a Miniprint® system for P.C.B.s that are especially long: using both systems allows for additional support.








THE USE OF MEGAPRINT ADDS 44 mm TO THE CONTAINER'S OVERALL HEIGHT

ART.	External dim. mm (containers + Megaprint®)	board capacity	
		width mm	depth mm
NX 4322 A 00 52 07	400x300x264	235	250
NX 4332 A 00 52 07	400x300x369	235	365



The Megaprint® and Miniprint® systems can be sub-divided in a logical and precise manner using a series of sub-dividers with special characteristics. These allow the complete and flexible utilization of the system, because any P.C.B., that is smaller than the container itself can be accommodated. The dividers are available in three different pitch-length versions, starting from a minimum of 1.7 mm. The three variants are normal, minus and plus distance. The dividers are stiffened by means of aluminum ribs.

ART.	distance	divider for mm	external dim. mm
ESD 4333 M 5207	minus	400	335x98
ESD 4333 U 5207	normal	400	335x98
ESD 4333 P 5207	plus	400	335x98
ESD 4323 M 5207	minus	300	235x98
ESD 4323 U 5207	normal	300	235x98
ESD 4323 P 5207	plus	300	235x98



MEGAPRINT® 600x400



ART.	External dim. mm	Internal dim. mm
ESD MEGA64 5207	600x400x140 H	535x335x140 H

width mm	SLOTS depth mm	pitch mm	MINIMUM SUB-DIVISION of the system mm	SLOT pitches
2,5	3,0	5,08	1,7	4 walls of 5,08 mm

The iMilani Megaprint® system 400x300 is recognized as the leader in the field of production and storage of electronic P.C.B.'s. The system itself has been designed and produced to specifically satisfy the work cycle of P.C.B. production, from their design stage to final production. The system is comprised of four rigid walls stiffened by reinforced aluminium profiles on their external faces, ensuring the boxes to remain straight and robust.

On the internal walls, precision slots are moulded and used to edge locate P.C.B.s. The design of the system is such that, using the sub-dividers, it can be infinitely adjusted to accommodate P.C.B.'s with a dimension less than 235 mm. The Megaprint® 400x300 is clipped onto the top frame of the 400x300 mm series standard containers.



FITS CONTAINERS ART.

AT 4312 A 00 52 07 - AT 4317 A 00 52 07 - AT 4322 A 00 52 07 - AT 4332 A 00 52 07

MINIPRINT® 600x400



ART.	External dim. mm	Internal dim. mm
ESD MINI64 5207	560x360x98 H	535x335x98 H

width mm	SLOTS depth mm	pitch mm	MINIMUM SUB-DIVISION of the system mm	SLOT pitches
2,5	3,0	5,08	1,7	4 walls of 5,08 mm




The Miniprint® system 400x300 has the same typical features as the Megaprint® system, with the particular characteristic that it can be inserted completely into the conductive iMilani containers of size 400x300 mm and is suitable for storing P.C.B.'s with a dimension less than 235 mm. For cards which are especially long the Miniprint® system is used in conjunction with the Megaprint® system. The joining of the two systems provides a longer channel, therefore safer transportation and handling of the P.C.B.s.



FITS CONTAINERS ART.

AT 4312 A 00 52 07 - AT 4317 A 00 52 07 - AT 4322 A 00 52 07 - AT 4332 A 00 52 07



An example of using a Megaprint® in conjunction with a Miniprint® system for P.C.B.s that are especially long: using both systems allows for additional support.








THE USE OF MEGAPRINT ADDS 44 mm TO THE CONTAINER'S OVERALL HEIGHT

ART.	External dim. mm (containers + Megaprint®)	board capacity	
		width mm	depth mm
NX 6422 Y 00 52 07	600x400x264	535	250
NX 6427 Y 00 52 07	600x400x---	535	---
NX 6432 Y 00 52 07	600x400x369	535	355
NX 6442 Y 00 52 07	600x400x474	535	455



The Megaprint® and Miniprint® systems can be sub-divided in a logical and precise manner using a series of sub-dividers with special characteristics. These allow the complete and flexible utilization of the system, because any P.C.B., that is smaller than the container itself can be accommodated. The dividers are available in three different pitch-length versions, starting from a minimum of 1.7 mm. The three variants are normal, minus and plus distance. The dividers are stiffened by means of aluminum ribs.

ART.	distance	divider for mm	external dim. mm
ESD 4333 M 5207	minus	400	335x98
ESD 4333 U 5207	normal	400	335x98
ESD 4333 P 5207	plus	400	335x98
ESD 6453 M 5207	minus	600	535x98
ESD 6453 U 5207	normal	600	535x98
ESD 6453 P 5207	plus	600	535x98



NEXIT 400x300 - 600x400



CARD CARRYING FRAMES

The card carrying frames make up an integral part of the IMilani P.C.B. carrying systems, and are used in the production, storage and transportation of P.C.B.'s. The system is composed of two side walls, one central wall and two aluminum guides. These frames can be either inserted in containers or used as a totally independent system. Its standard dimensions offer the advantage of an easy fit into standard containers, but also the flexibility of a system that can be expanded depending on the length of the guides. The frame can be used in a vertical, horizontal or flat position, and they can be stacked, provided they have equal dimensions. Also if the frame is compatible, the precision of the solution allows for its use in manual applications.

Our Card carriers provide an excellent edge mounting system for handling circuit boards. Made from injection moulded conductive co-polymer polypropylene with electrical value of $104\Omega/l$, they can be used in contact with the majority of solvents and to a temperature up to 100 °C. The unique flexibility of the clamping system, allow the re-inforced card guides to move over the entire length of the side aluminium guide rails.

PAIR OF ALLUMINIUM GUIDES

ART.				dim. mm [L]
ESD RAIL	15			152x53
ESD RAIL	25			252x53
ESD RAIL	35			352x53
ESD RAIL	55			552x53



ART. ESD FIX 07
FASTENER COMPLETE OF
SCREW AND NUT




FRAME COMPLETE WITH FASTENERS

ART.	dim. mm	number	SLOTS			
			width mm	depth mm	pitch mm	
ESD SIDE35 5207	350x30x190	22	2,5	3	15,3	
ESD MIDD35 5207	350x35x190	22+22	2,5	3	15,3	
ESD SIDE25 5207	250x30x95	15	2,5	3	15,3	



side walls



fastener




fitting the frame




positioning the central divider

EXAMPLE OF CARD CARRYING FRAME SYSTEM



ESDFR2513 - ESDFR2533 - ESDFR3523 - ESDFR3553

All card guides have as standard a re-inforcing aluminium rail for extra rigidity. The slot profile in the card guides is 2.5 mm wide and 3.0 mm deep on a 15.3 mm pitch. Each card guide also has a moulded in slot numbering system, to ensure correct location of cards, and an integral base stop. All components can be purchased separately and the aluminium rails can be supplied in lengths up to 1.5 m to provide flexibility in designing a system to suit your manufacturing requirements.



ESDFR3525 - ESDFR3595

This system provides the same low cost solutions as the models ESDFR2513 - ESDFR2533 - ESDFR3523 and ESDFR3553 but has the double-sided centre card guide incorporated. Since the centre panel (Order no. ESDMIDD355207) is double-sided, it allows for extra capacity without the loss of space associated with other systems which need to use two single card guides to achieve the same result. Standard Conductive Container's for storage of these card carriers are available in varying depths to suit different models of carrier.

ART.	total dim. mm	p.c.b. capacity maximum mm	p.c.b. slot	fits into container	components	
					side walls	guide (L)
ESD FR 2513	250x150x95 H	135x105	15	NX 3212 A 00 52 07 NX 3217 A 00 52 07 NX 3222 A 00 52 07	2x ESD SIDE25 5207	1x ESD RAIL 15 152 mm
ESD FR 2533	250x350x95 H	335x150	15	NX 4312 A 00 52 07 NX 4317 A 00 52 07	2x ESD SIDE25 5207	1x ESD RAIL 35 352 mm
ESD FR 3523	350x250x190 H	235x300	21	NX 4322 A 00 52 07 NX 4327 Y 00 52 07 NX 4332 A 00 52 07	2x ESD SIDE35 5207	1x ESD RAIL 25 252 mm
ESD FR 3525	350x550x190 H	535x400	21	NX 6422 A 00 52 07 NX 6432 A 00 52 07 NX 6442 B 00 52 07	2x ESD SIDE35 5207 1x ESD MIDD35 5207	1x ESD RAIL 55 552 mm
ESD FR 3995	350x250x190 H	95x300	42	NX 4322 A 00 52 07 NX 4327 A 00 52 07 NX 4332 A 00 52 07	2x ESD SIDE35 5207 1x ESD MIDD35 5207	1x ESD RAIL 25 252 mm
ESD FR 3553	350x550x190 H	254x400	42	NX 6422 A 00 52 07 NX 6432 A 00 52 07 NX 6442 B 00 52 07	2x ESD SIDE35 5207	1x ESD RAIL 55 552 mm



frame in a horizontal position



frame in a vertical position



frame in a flat position

DIMPLE CIRCUIT BOARD HOLDER



ART.	dim. mm
ESD PLAT32 5207	355x255x14 H



LIDS

hinged



with handles



sliding



 Use of the lid does not exclude the option of stacking the boxes

CLOSING CLIPS

The lid of the Athena series box in the version with hinges and with handles can be closed with a sliding fastener in nylon.



closing with lead



PARTITIONED BOXES




Partitions offer a systematic way to divide Athena series boxes into two or more compartments, depending on the solution chosen. A handy dust LID is available in transparent polystyrene, fitted with a lifting grip.



COMB DIVIDERS

iMICUBE



To organise and protect particularly delicate articles or materials that must not come into contact with other products during handling and storage, the box can be partitioned by means of comb dividers.

They are of plastic or ESD construction and are available in five heights; the dividers feature slots positioned 20 mm apart, allowing the systematic and variable subdivision of the interior space of the boxes according to the user's needs.

Dividers can be made to measure to satisfy any requirement.

INTERMEDIATE SHELF

Made of plastic, the intermediate shelf acts as a separator if the box has to be divided into more than one layer. The side grooves on the lid facilitate gripping and removal.



DOCUMENT HOLDER SPRING

The Document holder spring snaps onto the long or short side of the Athena box and can be used to secure transport notes or other documents.





NEXIT

The new **NEXIT** programme offers a complete range of solutions for any requirement.

Each EURO based dimension of this programme is available in different heights.

Each height offers aesthetic and functional

versions.

Available in the:

200x150 - 300x200 - 400x300 - 600x400 series, heights from:

75 - 120 - 170 - 220 - 270 - 320 - 420 mm.

HANDLES

moulded closed



	H	75	120	170	220	270	320	420
200 x 150		■	■					
300 x 200		■	■	■	■			
400 x 300		■	■					
600 x 400		■	■					

open



	H	75	120	170	220	270	320	420
400 x 300				■	■	■	■	
400 x 300								
600 x 400				■	■	■	■	■
600 x 400							■	■

CARTER

iMILCUBE

handles closing casing included *




	H	75	120	170	220	270	320	420
600 x 400				■	■	■	■	■

* supplied assembled

BOTTOMS

closed bottom



load capacity 20 kg

reinforced bottom



load capacity 50 kg

reinforced perforated bottom



load capacity 50 kg

WALLS

closed walls



perforated walls

only for 400 x 300
and 600 x 400



available in heights:
120 - 170 - 220 - 270 - 320 - 420

picking

only for 400 x 300
and 600 x 400



available in heights:
220 - 270 - 320 - 420

ACCESSORIES

separate lid



hinged lid



snap hinged lid

only for 200 x 150
and 300 x 200



2 parts lid

only for 400 x 300
and 600 x 400





ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
	Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A NX 2108A 5207	■			■			■		206	32	1152	

A

Closed bottom
Load capacity 15 kg



A

Stacked edge height	60 mm
Usable stacked height / with lid	57 mm / 61 mm
Usable internal dimensions	163 x 113 x 72 H mm
Volume	1,4 L
Pieces per package / pallet	 32  1152
Package dimensions	620 x 420 x 290 H mm
Pallet dimensions	1200 x 800 x 2325 H mm

DATASHEET

200 x 150 mm

iMICUBE

	ARTICLE	SEPARATE LID	HINGED LID	SNAP HINGED LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	NX 21SE 5207	■			81	1	1920		▲ ▲
2	NX 21HG 5207		■		81	1	1920		▲ ▲
3	NX 21HH 5207			■	81	1	1920		▲ ▲
4	NX SEAL23 5113		1 x	1 x		500			♻️ PP



DATASHEET

	Separate lid	200 x 150 mm
1	Pieces per pack.	📦 1
	Pieces per pallet / dims.	🚚 1920 / 1200 x 800 x 942 H mm
	Hinged lid	200 x 150 mm
2	Pieces per pack.	📦 1
	Pieces per pallet / dims.	🚚 1920 / 1200 x 800 x 942 H mm
	Snap hinged lid	200 x 150 mm
3	Pieces per pack.	📦 1
	Pieces per pallet / dims.	🚚 1920 / 1200 x 800 x 942 H mm
4	Disposable security seal	
	Pieces per pack	📦 500

▲ ARTICLES ON REQUEST

Minimum order.....200 boxes

Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
	Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A NX 2112A 5207	■			■			■		289	24	672	

A

Closed bottom
Load capacity 15 kg



A

Stacked edge height	105 mm
Usable stacked height / with lid	102 mm / 106 mm
Usable internal dimensions	163 x 113 x 117 H mm
Volume	2,3 L
Pieces per package / pallet	 24  672
Package dimensions	620 x 420 x 365 H mm
Pallet dimensions	1200 x 800 x 2370 H mm

DATASHEET

200 x 150 mm

iMICUBE

	ARTICLE	SEPARATE LID	HINGED LID	SNAP HINGED LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	NX 21SE 5207	■			81	1	1920		▲ ▲
2	NX 21HG 5207		■		81	1	1920		▲ ▲
3	NX 21HH 5207			■	81	1	1920		▲ ▲
4	NX SEAL23 5113		1 x	1 x		500			♻️ PP



DATASHEET

Separate lid		200 x 150 mm
1	Pieces per pack.	1
	Pieces per pallet / dims.	1920 / 1200 x 800 x 942 H mm
Hinged lid		200 x 150 mm
2	Pieces per pack.	1
	Pieces per pallet / dims.	1920 / 1200 x 800 x 942 H mm
Snap hinged lid		200 x 150 mm
3	Pieces per pack.	1
	Pieces per pallet / dims.	1920 / 1200 x 800 x 942 H mm
Disposable security seal		
4	Pieces per pack	500

▲ ARTICLES ON REQUEST
Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
	Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A NX 3208A 5207	■			■			■		375	20	560	

A

Closed bottom
Load capacity 15 kg



A

Stacked edge height	60 mm
Usable stacked height / with lid	57 mm / 61 mm
Usable internal dimensions	261 x 161 x 72 H mm
Volume	3,2 L
Pieces per package / pallet	 20  560
Package dimensions	620 x 420 x 350 H mm
Pallet dimensions	1200 x 800 x 2325 H mm

DATASHEET

300 x 200 mm

iMICUBE

	ARTICLE	SEPARATE LID	HINGED LID	SNAP HINGED LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	NX 32SE 5207	■			155	1	1120		▲ ▲
2	NX 32HG 5207		■		152	1	1120		▲ ▲
3	NX 32HH 5207			■	153	1	1120		▲ ▲
4	NX SEAL23 5113		2 x	2 x		500			♻️ PP



DATASHEET

Separate lid		300 x 200 mm
1	Pieces per pack.	1
	Pieces per pallet / dims.	1120/1200x800x1072H mm
Hinged lid		300 x 200 mm
2	Pieces per pack.	1
	Pieces per pallet / dims.	1120/1200x800x1072H mm
Snap hinged lid		300 x 200 mm
3	Pieces per pack.	1
	Pieces per pallet / dims.	1120/1200x800x1072H mm
Disposable security seal		
4	Pieces per pack	500

▲ ARTICLES ON REQUEST

Minimum order.....200 boxes

Guaranteed shipping within.....60 days

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	NX 3212A 5207	■			■			■		504	16	320	

A






Closed bottom
Load capacity 15 kg



A

Stacked edge height	105 mm
Usable stacked height / with lid	102 mm / 106 mm
Usable internal dimensions	261 x 161 x 117 H mm
Volume	5,2 L
Pieces per package / pallet	 16  320
Package dimensions	620 x 420 x 470 H mm
Pallet dimensions	1200 x 800 x 2370 H mm

DATASHEET



ARTICLES ON REQUEST

Minimum order 200 boxes
Guaranteed shipping within.....60 days

iMilani
nnovative
talian
deas




	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	NX 3217A 5207	■			■			■		618	12	240	

Closed bottom
Load capacity 15 kg



A	
Stacked edge height	155 mm
Usable stacked height / with lid	152 mm / 156 mm
Usable internal dimensions	261 x 161 x 167 H mm
Volume	7,4 L
Pieces per package / pallet	 12  240
Package dimensions	620 x 420 x 515 H mm
Pallet dimensions	1200 x 800 x 2490 H mm

DATASHEET



ARTICLES ON REQUEST

Minimum order.....200 boxes
Guaranteed shipping within.....60 days

iMilani
nnovative
talian
ideas

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	NX 3222A 5207	■			■			■		732	8	160	

Closed bottom
Load capacity 15 kg








A



A

Stacked edge height	205 mm
Usable stacked height / with lid	202 mm / 206 mm
Usable internal dimensions	261 x 161 x 217 H mm
Volume	9,6 L
Pieces per package / pallet	 8  160
Package dimensions	620 x 420 x 460 H mm
Pallet dimensions	1200 x 800 x 2215 H mm

DATASHEET



ARTICLES ON REQUEST

Minimum order 200 boxes
Guaranteed shipping within 60 days

iMilani
nnovative
talian
ideas

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	NX 4308A5207	■			■			■		666	14	280	

Closed bottom
Load capacity 20 kg



A	
Stacked edge height	60 mm
Usable stacked height / with lid	57 mm / 61 mm
Usable internal dimensions	361 x 261 x 72 H mm
Volume	6,9 L
Pieces per package / pallet	 14  280
Package dimensions	620 x 420 x 470 H mm
Pallet dimensions	1200 x 800 x 2325 H mm

DATASHEET

400 x 300 mm

iMICUBE

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	NX 43SE 5207	■			366	1	480		▲
2	NX 43HG 5207		■		357	1	480		▲
3	NX 43CR 5207			■	544	1	480		▲
4	NX SEAL46 5113			2 x		500			♻️ PP
5	AT LOCK 8113		2 x			10			♻️ PP



1



2



3



4



5



DATASHEET

Separate lid		400 x 300 mm
1	Pieces per pack.	1
	Pieces per pallet / dims.	480 / 1200x800x870 H mm
Hinged lid		400 x 300 mm
2	Pieces per pack.	1
	Pieces per pallet / dims.	480 / 1200x800x870 H mm
2 parts lid		400 x 300 mm
3	Pieces per pack.	1
	Pieces per pallet / dims.	480 / 1200x800x870 H mm
Disposable security seal		
4	Pieces per pack	500
Pair closing clips		
5	Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	NX 4312A 5207	■			■			■		852	8	160	

Closed bottom
Load capacity 20 kg



A

Stacked edge height	105 mm
Usable stacked height / with lid	102 mm / 106 mm
Usable internal dimensions	361 x 261 x 117 H mm
Volume	11,3 L
Pieces per package / pallet	 8  160
Package dimensions	620 x 420 x 470 H mm
Pallet dimensions	1200 x 800 x 2370 H mm

DATASHEET

400 x 300 mm

iMICUBE

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	NX 43SE 5207	■			366	1	480		▲
2	NX 43HG 5207		■		357	1	480		▲
3	NX 43CR 5207			■	544	1	480		▲
4	NX SEAL46 5113			2 x		500			♻️ PP
5	AT LOCK 8113		2 x			10			♻️ PP
6	LH TYT	Label holders for all sides				10			♻️ PP



1



2



3



4



5



6

DATASHEET

Separate lid		400 x 300 mm
1	Pieces per pack.	1
	Pieces per pallet / dims.	480 / 1200x800x870 H mm
Hinged lid		400 x 300 mm
2	Pieces per pack.	1
	Pieces per pallet / dims.	480 / 1200x800x870 H mm
2 parts lid		400 x 300 mm
3	Pieces per pack.	1
	Pieces per pallet / dims.	480 / 1200x800x870 H mm
Disposable security seal		
4	Pieces per pack	10
Pair closing clips		
5	Pieces per pack	500
Label holders		
6	Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
Y	NX 4317Y 5207	■			■				■	1029	6	120	

Closed bottom
Load capacity 20 kg



Y	
Stacked edge height	155 mm
Usable stacked height / with lid	152 mm / 156 mm
Usable internal dimensions	361 x 261 x 167 H mm
Volume	16,1 L
Pieces per package / pallet	 6  120
Package dimensions	620 x 420 x 515 H mm
Pallet dimensions	1200 x 800 x 2490 H mm

DATASHEET

400 x 300 mm

iMICUBE

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	NX 43SE 5207	■			366	1	480		▲
2	NX 43HG 5207		■		357	1	480		▲
3	NX 43CR 5207			■	544	1	480		▲
4	NX SEAL46 5113			2 x		500			♻️ PP
5	AT LOCK 8113		2 x			10			♻️ PP
6	LH TYT	Label holders for all sides				10			♻️ PP



1



2



3



4



5



6



DATASHEET

Separate lid		400 x 300 mm
1	Pieces per pack.	1
	Pieces per pallet / dims.	480 / 1200x800x870 H mm
Hinged lid		400 x 300 mm
2	Pieces per pack.	1
	Pieces per pallet / dims.	480 / 1200x800x870 H mm
2 parts lid		400 x 300 mm
3	Pieces per pack.	1
	Pieces per pallet / dims.	480 / 1200x800x870 H mm
Disposable security seal		
4	Pieces per pack	10
Pair closing clips		
5	Pieces per pack	500
Label holders		
6	Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
Y	NX 4322Y 5207	■			■				■	1308	4	80	



Y	
Stacked edge height	205 mm
Usable stacked height / with lid	202 mm / 206 mm
Usable internal dimensions	361 x 261 x 217 H mm
Volume	20,9 L
Pieces per package / pallet	 4  80
Package dimensions	620 x 420 x 460 H mm
Pallet dimensions	1200 x 800 x 2215 H mm

DATASHEET

400 x 300 mm

iMICUBE

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	NX 43SE 5207	■			366	1	480		▲
2	NX 43HG 5207		■		357	1	480		▲
3	NX 43CR 5207			■	544				▲
4	NX SEAL46 5113			2 x		500			♻️ PP
5	AT LOCK 8113		2 x			10			♻️ PP
6	LH TYT	Label holders for all sides				10			♻️ PP



1



2



3



4



5



6



DATASHEET

Separate lid		400 x 300 mm
1	Pieces per pack.	1
	Pieces per pallet / dims.	480 / 1200x800x870 H mm
Hinged lid		400 x 300 mm
2	Pieces per pack.	1
	Pieces per pallet / dims.	480 / 1200x800x870 H mm
2 parts lid		400 x 300 mm
3	Pieces per pack.	1
	Pieces per pallet / dims.	480 / 1200x800x870 H mm
Disposable security seal		
4	Pieces per pack	10
Pair closing clips		
5	Pieces per pack	500
Label holders		
6	Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
Y	NX 4327Y 5207	■			■				■	1354	4	64	



Y

Closed bottom
Load capacity 20 kg



Y

Stacked edge height	255 mm
Usable stacked height / with lid	252 mm / 256 mm
Usable internal dimensions	361 x 261 x 267 H mm
Volume	25,8 L
Pieces per package / pallet	 4  64
Package dimensions	620 x 420 x 560 H mm
Pallet dimensions	1200 x 800 x 2205 H mm

DATASHEET

400 x 300 mm

iMICUBE

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	NX 43SE 5207	■			366	1	480		▲
2	NX 43HG 5207		■		357	1	480		▲
3	NX 43CR 5207			■	544	1	480		▲
4	NX SEAL46 5113			2 x		500			♻️ PP
5	AT LOCK 8113		2 x			10			♻️ PP
6	LH TYT	Label holders for all sides				10			♻️ PP



1



2



3



4



5



6



DATASHEET

Separate lid		400 x 300 mm
1	Pieces per pack.	1
	Pieces per pallet / dims.	480 / 1200x800x870 H mm
Hinged lid		400 x 300 mm
2	Pieces per pack.	1
	Pieces per pallet / dims.	480 / 1200x800x870 H mm
2 parts lid		400 x 300 mm
3	Pieces per pack.	1
	Pieces per pallet / dims.	480 / 1200x800x870 H mm
Disposable security seal		
4	Pieces per pack	10
Pair closing clips		
5	Pieces per pack	500
Label holders		
6	Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
	Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
B NX 4332Y 5207	■			■				■	1548	2	56	

Y

Closed bottom
Load capacity 20 kg



Y

Stacked edge height	305 mm
Usable stacked height / with lid	302 mm / 306 mm
Usable internal dimensions	361 x 261 x 317 H mm
Volume	30,6 L
Pieces per package / pallet	 2  56
Package dimensions	620 x 420 x 355 H mm
Pallet dimensions	1200 x 800 x 2300 H mm

DATASHEET

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	NX 43SE 5207	■			366	1	480		▲
2	NX 43HG 5207		■		357	1	480		▲
3	NX 43CR 5207			■	544	1	480		▲
4	NX SEAL46 5113			2 x		500			♻️ PP
5	AT LOCK 8113		2 x			10			♻️ PP
6	LH TYT	Label holders for all sides				10			♻️ PP



1



2



3



4



5



6



DATASHEET

Separate lid		400 x 300 mm
1	Pieces per pack.	1
	Pieces per pallet / dims.	480 / 1200x800x870 H mm
Hinged lid		400 x 300 mm
2	Pieces per pack.	1
	Pieces per pallet / dims.	480 / 1200x800x870 H mm
2 parts lid		400 x 300 mm
3	Pieces per pack.	1
	Pieces per pallet / dims.	480 / 1200x800x870 H mm
Disposable security seal		
4	Pieces per pack	10
Pair closing clips		
5	Pieces per pack	500
Label holders		
6	Pieces per pack	10

ARTICLE	1 PARTITION	2 PARTITIONS	4 PARTITIONS	GR.	PACKAGING		UNIT PRICE €
					Qty. per pack.	Qty. per pallet	
1 AT 43S1 5207	■			246	20	320	
2 AT 43S2 5207		■		263	20	320	
3 AT 43S4 5207			■	291	20	320	
4 AT LID4 6896	Transparent lid			118	20		



Subdivision with 1 and 2 compartments



Subdivision with 1 and 4 compartments




Subdivision with 2 and 4 compartments

1	
Partitioned box 1 partition	256 x 178 x 90 H mm
Pieces per pack / pallet	20 320
Package dimensions	565 x 375 x 460 H mm
Pallet dimensions	1200 x 800 x 1990 H mm
2	
Partitioned box 2 partitions	256 x 178 x 90 H mm
Pieces per pack / pallet	20 320
Package dimensions	565 x 375 x 460 H mm
Pallet dimensions	1200 x 800 x 1990 H mm
3	
Partitioned box 4 partitions	256 x 178 x 90 H mm
Pieces per pack / pallet	20 320
Package dimensions	565 x 375 x 460 H mm
Pallet dimensions	1200 x 800 x 1990 H mm
4	
Transparent polystyrene lid	
Pieces per pack	20
Package dimensions	265 x 195 x 180 H mm

400 x 300 mm

	ARTICLE	H 45	H 70	H 90	H 120	H 180	H 220	PACKAGING		UNIT PRICE €
								Qty. per pack.	Qty. per pallet	
1	DI 25545245207	■						10		
	DI 35545245207	■						10		
2	DI 25570245207		■					10		
	DI 35570245207		■					10		
3	DI 25590245207			■				10		
	DI 35590245207			■				10		
4	DI 25512245207				■			10		
	DI 35512245207				■			10		
5	DI 25518245207					■		10		
	DI 35518245207					■		10		
6	DI 25522245207						■	10		
	DI 35522245207						■	10		
7	DI 43SHT 5207							10		



5207

Pitch 24 mm



1




2




3



4



5



6



7

DATASHEET

1	Comb divider 255 x 45 H mm per box 400 x 300 x 75 H mm	10 items
	Séparateur type peigne 355 x H 45 mm per box 400 x 300 x H 75 mm	10 items
2	Comb divider 255 x 70 H mm per box 400 x 300 x 120 H mm	10 items
	Comb divider 355 x 70 H mm per box 400 x 300 x 120 H mm	10 items
3	Comb divider 255 x 90 H mm per box 400 x 300 x 120 H mm	10 items
	Comb divider 355 x 90 H mm per box 400 x 300 x 120 H mm	10 items
4	Comb divider 255 x 120 H mm per box 400 x 300 x 170 H mm	10 items
	Comb divider 355 x 120 H mm per box 400 x 300 x 170 H mm	10 items
5	Comb divider 255 x 180 H mm per box 400 x 300 x 220 H mm	10 items
	Comb divider 355 x 180 H mm per box 400 x 300 x 220 H mm	10 items
6	Comb divider 255 x 220 H mm per box 400 x 300 x 270 H mm	10 items
	Comb divider 355 x 220 H mm per box 400 x 300 x 270 H mm	10 items
7		
Intermediate partition shelf 355 x 255 mm		10 items

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	NX 6408A5207	■			■			■		1319	7	140	

A

Closed bottom
Load capacity 20 kg



A

Stacked edge height	60 mm
Usable stacked height / with lid	57 mm / 61 mm
Usable internal dimensions	561 x 361 x 72 H mm
Volume	14,7 L
Pieces per package / pallet	 7  140
Package dimensions	620 x 420 x 470 H mm
Pallet dimensions	1200 x 800 x 2325 H mm

DATASHEET

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	NX 64SE 5207	■			841	1	176		▲
2	NX 64HG 5207		■		795	1	176		▲
3	NX 64CR 5207			■	1138	1	176		▲
4	NX 64CV 5207	Cover			946	1	176		▲
5	NX SEAL46 5113			2 x		500			♻️ PP
6	AT LOCK 8113		2 x			10			♻️ PP



1



2



3



4



5



6



DATASHEET

Separate lid		600 x 400 mm
1	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
Hinged lid		600 x 400 mm
2	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
2 parts lid		600 x 400 mm
3	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
Cover		600 x 400 mm
4	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
Disposable security seal		
5	Pieces per pack	500
Pair closing clips		
6	Pieces per pack	10

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
A	NX 6412A 5207	■			■			■		1614	4	80	

Closed bottom
Load capacity 20 kg



A	
Stacked edge height	105 mm
Usable stacked height / with lid	102 mm / 106 mm
Usable internal dimensions	561 x 361 x 117 H mm
Volume	23,9 L
Pieces per package / pallet	 4  80
Package dimensions	620 x 420 x 470 H mm
Pallet dimensions	1200 x 800 x 2370 H mm

DATASHEET

600 x 400 mm

iMICUBE

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	NX 64SE 5207	■			841	1	176		▲
2	NX 64HG 5207		■		795	1	176		▲
3	NX 64CR 5207			■	1138	1	176		▲
4	NX 64CV 5207	Cover			946	1	176		▲
5	NX SEAL46 5113			2 x		500			♻️ PP
6	AT LOCK 8113		2 x			10			♻️ PP
7	LH TYT	Label holders for all sides				10			♻️ PP



1



2



3



4



5



6



7

DATASHEET

Separate lid		600 x 400 mm
1	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
Hinged lid		600 x 400 mm
2	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
2 parts lid		600 x 400 mm
3	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
Cover lid		600 x 400 mm
4	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
Disposable security seal		
5	Pieces per pack	500
Pair closing clips		
6	Pieces per pack	10
Label holders		
7	Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
Y	NX 6417Y 5207	■			■				■	1894	3	60	

Y

Closed bottom
Load capacity 20 kg



Y

Stacked edge height	155 mm
Usable stacked height / with lid	152 mm / 156 mm
Usable internal dimensions	561 x 361 x 167 H mm
Volume	14,7 L
Pieces per package / pallet	 3  60
Package dimensions	620 x 420 x 515 H mm
Pallet dimensions	1200 x 800 x 2490 H mm

DATASHEET

600 x 400 mm

iMICUBE

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	NX 64SE 5207	■			841	1	176		▲
2	NX 64HG 5207		■		795	1	176		▲
3	NX 64CR 5207			■	1138	1	176		▲
4	NX 64CV 5207	Cover			946	1	176		▲
5	NX SEAL46 5113			2 x		500			♻️ PP
6	AT LOCK 8113		2 x			10			♻️ PP
7	LH TYT	Label holders for all sides				10			♻️ PP



1



2



3



4



5



6



7

DATASHEET

Separate lid		600 x 400 mm
1	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
Hinged lid		600 x 400 mm
2	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
2 parts lid		600 x 400 mm
3	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
Cover lid		600 x 400 mm
4	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
Disposable security seal		
5	Pieces per pack	500
Pair closing clips		
6	Pieces per pack	10
Label holders		
7	Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
Y	NX 6422Y 5207	■			■				■	2129	2	40	

Closed bottom
Load capacity 20 kg



Y

Stacked edge height	205 mm
Usable stacked height / with lid	202 mm / 206 mm
Usable internal dimensions	561 x 361 x 217 H mm
Volume	44,5 L
Pieces per package / pallet	 2  40
Package dimensions	620 x 420 x 460 H mm
Pallet dimensions	1200 x 800 x 2215 H mm

DATASHEET

600 x 400 mm

iMICUBE

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	NX 64SE 5207	■			841	1	176		▲
2	NX 64HG 5207		■		795	1	176		▲
3	NX 64CR 5207			■	1138	1	176		▲
4	NX 64CV 5207	Cover			946	1	176		▲
5	NX SEAL46 5113			2 x		500			♻️ PP
6	AT LOCK 8113		2 x			10			♻️ PP
7	LH TYT	Label holders for all sides				10			♻️ PP



1



2



3



4



5



6



7

DATASHEET

Separate lid		600 x 400 mm
1	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
Hinged lid		600 x 400 mm
2	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
2 parts lid		600 x 400 mm
3	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
Cover lid		600 x 400 mm
4	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
Disposable security seal		
5	Pieces per pack	500
Pair closing clips		
6	Pieces per pack	10
Label holders		
7	Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
Y	NX 6427Y 5207	■			■				■	2389	2	32	



Y	
Stacked edge height	255 mm
Usable stacked height / with lid	252 mm / 256 mm
Usable internal dimensions	561 x 361 x 267 H mm
Volume	54,8 L
Pieces per package / pallet	 2  32
Package dimensions	620 x 420 x 560 H mm
Pallet dimensions	1200 x 800 x 2205 H mm

DATASHEET

600 x 400 mm

iMICUBE

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	NX 64SE 5207	■			841	1	176		▲
2	NX 64HG 5207		■		795	1	176		▲
3	NX 64CR 5207			■	1138	1	176		▲
4	NX 64CV 5207	Cover			946	1	176		▲
5	NX SEAL46 5113			2 x		500			♻️ PP
6	AT LOCK 8113		2 x			10			♻️ PP
7	LH TYT	Label holders for all sides				10			♻️ PP



1



2



3



4



5



6



7

DATASHEET

Separate lid		600 x 400 mm
1	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
Hinged lid		600 x 400 mm
2	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
2 parts lid		600 x 400 mm
3	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
Cover lid		600 x 400 mm
4	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
Disposable security seal		
5	Pieces per pack	500
Pair closing clips		
6	Pieces per pack	10
Label holders		
7	Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
		Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
 B	NX 6432Y 5207	■			■				■	2714	3	40	

Closed bottom
Load capacity 20 kg



Y

Stacked edge height	305 mm
Usable stacked height / with lid	302 mm / 306 mm
Usable internal dimensions	561 x 361 x 317 H mm
Volume	65,1 L
Pieces per package / pallet	 3  40
Package dimensions	620 x 420 x 675 H mm
Pallet dimensions	1200 x 800 x 2390 H mm

DATASHEET

600 x 400 mm

iMICUBE

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	NX 64SE 5207	■			841	1	176		▲
2	NX 64HG 5207		■		795	1	176		▲
3	NX 64CR 5207			■	1138	1	176		▲
4	NX 64CV 5207	Cover			946	1	176		▲
5	NX SEAL46 5113			2 x		500			♻️ PP
6	AT LOCK 8113		2 x			10			♻️ PP
7	LH TYT	Label holders for all sides				10			♻️ PP



1



2



3



4



5



6



7



DATASHEET

Separate lid		600 x 400 mm
1	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
Hinged lid		600 x 400 mm
2	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
2 parts lid		600 x 400 mm
3	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
Cover lid		600 x 400 mm
4	Pieces per pack.	1
	Pieces per pallet / dims.	176 / 1200x800x870 H mm
Disposable security seal		
5	Pieces per pack	500
Pair closing clips		
6	Pieces per pack	10
Label holders		
7	Pieces per pack	10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
	Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
Y NX 6442Y 5207	■			■				■	3232	1	20	

Y

Closed bottom
Load capacity 20 kg



Y

Stacked edge height	405 mm
Usable stacked height / with lid	402 mm / 406 mm
Usable internal dimensions	561 x 361 x 417 H mm
Volume	85,6 L
Pieces per package / pallet	 1  20
Package dimensions	620 x 420 x 455 H mm
Pallet dimensions	1200 x 800 x 2190 H mm

DATASHEET

600 x 400 mm

iMICUBE

	ARTICLE	SEPARATE LID	HINGED LID	2 PARTS LID	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
1	NX 64SE 5207	■			751	1	176		
2	NX 64HG 5207		■		710	1	176		
3	NX SEAL46 5113			2 x		500			
4	AT LOCK 8113		2 x			10			
5	LH TYT	Label holders for all sides				10			



1



2



3



4



5



DATASHEET

Separate lid		600 x 400 mm
1	Pieces per pack.	 1
	Pieces per pallet / dims.	 176 / 1200x800x870 H mm
Hinged lid		600 x 400 mm
2	Pieces per pack.	 1
	Pieces per pallet / dtmens.	 176 / 1200x800x870 H mm
Disposable security seal		
3	Pieces per pack	 500
Pair closing clips		
4	Pieces per pack	 10
Label holders		
5	Pieces per pack	 10

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

600 x 400 mm

iMICUBE

NEXIT

56

1



2



3



4



5



ARTICLE	1 SÉPARATION	2 SÉPARATIONS	4 SÉPARATIONS	GR.	EMBALLAGE		PRIX UNITAIRE €
					Qté par paq.	Qté par palette	
1 AT 64S1 5207	■			459	10	160	
2 AT 64S2 5207		■		493	10	160	
3 AT 64S4 5207			■	524	10	160	
4 AT 64S0 5207	■			345	20	320	
5 AT LID6 6896	Transparent lid				20		



Subdivision with 1 and 2 compartments



Subdivision with 1 and 4 compartments




Subdivision with 2 and 4 compartments

1	Partitioned box 1 partition	357 x 278 x 90 H mm
	Pieces per pack / pallet	10 160
	Package dimensions	565 x 375 x 460 H mm
	Pallet dimensions	1200 x 800 x 1990 H mm
2	Partitioned box 2 partitions	357 x 278 x 90 H mm
	Pieces per pack / pallet	10 160
	Package dimensions	565 x 375 x 460 H mm
	Pallet dimensions	1200 x 800 x 1990 H mm
3	Partitioned box 4 partitions	357 x 278 x 90 H mm
	Pieces per pack / pallet	10 160
	Package dimensions	565 x 375 x 460 H mm
	Pallet dimensions	1200 x 800 x 1990 H mm
4	Partitioned box 1 partition	277 x 177 x 99 H mm
	Pieces per pack / pallet	20 320
	Package dimensions	565 x 375 x 460 H mm
	Pallet dimensions	1200 x 800 x 1990 H mm
5	Transparent polystyrene lid	
	Pieces per pack / pallet	20
	Package dimensions	365 x 295 x 180 H mm

DATASHEET




600 x 400 mm

	ARTICLE	H 45	H 70	H 90	H 120	H 180	H 220	PACKAGING		UNIT PRICE €
								Qty. per pack.	Qty. per pallet	
1	DI 35545245207	■						10		PS
	DI 55545245207	■						10		
2	DI 35570245207		■					10		PS
	DI 55570245207		■					10		
3	DI 35590245207			■				10		PS
	DI 55590245207			■				10		
4	DI 35512245207				■			10		PS
	DI 55512245207				■			10		
5	DI 35518245207					■		10		PS
	DI 55518245207					■		10		
6	DI 35522245207						■	10		PS
	DI 55522245207						■	10		
7	DI 64SHT 5207							10		PS



5207

Pitch 24 mm



DATASHEET

1	Comb divider 355 x 45 H mm per box 600 x 400 x 75 H mm	10 items
	Comb divider 555 x 45 H mm per box 600 x 400 x 75 H mm	10 items
2	Comb divider 355 x 70 H mm per box 600 x 400 x 120 H mm	10 items
	Comb divider 555 x 70 H mm per box 600 x 400 x 120 H mm	10 items
3	Comb divider 355 x 90 H mm per box 600 x 400 x 120 H mm	10 items
	Comb divider 555 x 90 H mm per box 600 x 400 x 120 H mm	10 items
4	Comb divider 355 x 120 H mm per box 600 x 400 x 170 H mm	10 items
	Comb divider 555 x 120 H mm per box 600 x 400 x 170 H mm	10 items
5	Comb divider 355 x 180 H mm per box 600 x 400 x 220 H mm	10 items
	Comb divider 555 x 180 H mm per box 600 x 400 x 220 H mm	10 items
6	Comb divider 355 x 220 H mm per box 600 x 400 x 270 H mm	10 items
	Comb divider 555 x 220 H mm per box 600 x 400 x 270 H mm	10 items
7		
	Intermediate partition shelf 555 x 355 mm	10 items

C

Reinforced bottom
Load capacity 60 kg



1



Order 4 feet

2



Order 2 crossbars

3



Order 4 wheels
AT WRCT 100/125
or alternatively those on
the opposite page



Accessories supplied mounted
When fitted with wheels, the boxes are not stackable

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
	Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
C AT 8612C 5207	■					■	■		3873	4	40	
ACCESSORIES												
1 AT FEET 5207	Foot Order 4 pieces								152	1		
2 AT RUNN 5207	Crossbar to be slotted under the feet AT FEET Order 2 pieces								428	1		
3 AT WRCT 100	Swivel wheel D. 100 mm in rubber									1		
AT WRCT 125	Swivel wheel D. 125 mm in rubber									1		



All accessories include fixing screws when required

C	
Stacked edge height	105 mm
Usable stacked height / with lid	86 mm / 93 mm
Usable internal dimensions	755 x 555 x 101 H mm
Volume	49 L
Pieces per package / pallet	4 40
Package dimensions	820 x 620 x 455 H mm
Pallet dimensions	1200 x 800 x 2265 H mm
1	
Feet with fixing screws	100 H mm
Pieces per package	1
2	
Crossbar	25 H mm
Pieces per package	1
3	
Swivel wheel in rubber	diamètre 100/125 mm
Pieces per package	1

800 x 600 mm H 120 mm

iMICUBE

ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
			Qty. per pack.	Qty. per pallet	
1 AT 86SE 5207	■	2215	5	60	
2 SPRING 0099	Document holder spring		10		
3	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm	1		
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm	1		
4	AT WRCF 100	Swivel wheel in rubber D. 100 mm	1		
	AT WRCF 125	Swivel wheel in rubber D. 125 mm	1		
5	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm	1		
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm	1		
6	AT WNCF 100	Fixed wheel in nylon D. 100 mm	1		
	AT WNCF 125	Fixed wheel in nylon D. 125 mm	1		
7 AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		
8 AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		



All accessories include fixing screws when required

DATASHEET

1	Separate lid	800 x 600 mm
	Pieces per pack / pallet	5 60
	Package dimensions	800 x 600 x 150 H mm
	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
	Pieces per package	10
3	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
4	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
5	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
6	Fixed wheel in nylon diameter 100 mm footprint 128 mm H	
	Fixed wheel in nylon diameter 125 mm footprint 155 mm H	
7	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
8	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	



iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

C

Reinforced bottom
Load capacity 60 kg



1



Order 4 feet

2



Order 2 crossbars

3



Order 4 wheels
AT WRCT 100/125
or alternatively those on
the opposite page



Accessories supplied mounted

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
 C AT 8617C 5207	■				■	■		4260	3	28	
ACCESSORIES											
 1 AT FEET 5207	Foot Order 4 pieces							152	1		
 2 AT RUNN 5207	Crossbar to be slotted under the feet AT FEET Order 2 pieces							428	1		
3	AT WRCT 100 Swivel wheel D. 100 mm in rubber								1		
	AT WRCT 125 Swivel wheel D. 125 mm in rubber								1		



All accessories include fixing screws when required

C	
Stacked edge height	155 mm
Usable stacked height / with lid	136 mm / 143 mm
Usable internal dimensions	755 x 555 x 151 H mm
Volume	69 L
Pieces per package / pallet	 3  28
Package dimensions	820 x 620 x 500 H mm
Pallet dimensions	1200 x 800 x 2335 H mm
1	
Feet with fixing screws	100 H mm
Pieces per package	 1
2	
Crossbar	25 H mm
Pieces per package	 1
3	
Swivel wheel in rubber	diamètre 100/125 mm
Pieces per package	 1


ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
			Qty. per pack.	Qty. per pallet	
1 AT 86SE 5207	■	2215	5	60	
2 SPRING 0099	Document holder spring		10		
3 AT LH64 5107	Label holders		10		
4 LB 21081 0325	A4 sheet with 3 labels		25		
5	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm	1		
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm	1		
6	AT WRCF 100	Swivel wheel in rubber D. 100 mm	1		
	AT WRCF 125	Swivel wheel in rubber D. 125 mm	1		
7	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm	1		
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm	1		
8	AT WNCF 100	Fixed wheel in nylon D. 100 mm	1		
	AT WNCF 125	Fixed wheel in nylon D. 125 mm	1		
9 AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		
10 AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		



All accessories include fixing screws when required

DATASHEET

1	Separate lid	800 x 600 mm
	Pieces per pack / pallet	5 60
	Package dimensions	800 x 600 x 150 H mm
	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
	Pieces per package	10
3	Label holders	215 x 85 H mm
	Pieces per package	10
4	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per package	25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm footprint 128 mm H	
	Fixed wheel in nylon diameter 125 mm footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	



iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

C

Reinforced bottom
Load capacity 60 kg



1



Order 4 feet

2



Order 2 crossbars

3



Order 4 wheels
AT WRCT 100/125
or alternatively those on
the opposite page

Accessories supplied mounted



iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

ARTICLE	WALLS		BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
	Closed	Perforated	Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
C AT 8622C 5207	■				■	■		5138	2	20	
ACCESSORIES											
1 AT FEET 5207	Foot Order 4 pieces							152	1		
2 AT RUNN 5207	Crossbar to be slotted under the feet AT FEET Order 2 pieces							428	1		
3 AT WRCT 100	Swivel wheel D. 100 mm in rubber								1		
AT WRCT 125	Swivel wheel D. 125 mm in rubber								1		

All accessories include fixing screws when required

C	
Stacked edge height	205 mm
Usable stacked height / with lid	186 mm / 193 mm
Usable internal dimensions	755 x 555 x 201 H mm
Volume	90 L
Pieces per package / pallet	2 20
Package dimensions	820 x 620 x 445h H mm
Pallet dimensions	1200 x 800 x 2215 H mm
1	
Feet with fixing screws	100 H mm
Pieces per package	1
2	
Crossbar	25 H mm
Pieces per package	1
3	
Swivel wheel in rubber	diamètre 100/125 mm
Pieces per package	1

	ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
1	AT 86SE 5207	■	2215	5	60	
2	SPRING 0099	Document holder spring		10		
3	AT LH64 5107	Label holders		10		
4	LB 21081 0325	A4 sheet with 3 labels		25		
5	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm		1		
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm		1		
6	AT WRCF 100	Swivel wheel in rubber D. 100 mm		1		
	AT WRCF 125	Swivel wheel in rubber D. 125 mm		1		
7	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm		1		
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm		1		
8	AT WNCF 100	Fixed wheel in nylon D. 100 mm		1		
	AT WNCF 125	Fixed wheel in nylon D. 125 mm		1		
9	AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		
10	AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		



 All accessories include fixing screws when required

DATASHEET

1	Separate lid	800 x 600 mm
	Pieces per pack / pallet	 5  60
	Package dimensions	800 x 600 x 150 H mm
	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
	Pieces per package	 10
3	Label holders	215 x 85 H mm
	Pieces per package	 10
4	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per package	 25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm footprint 128 mm H	
	Fixed wheel in nylon diameter 125 mm footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	


iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

C

Reinforced bottom
Load capacity 60 kg



1



Order 4 feet

2



Order 2 crossbars

3



Order 4 wheels
AT WRCT 100/125
or alternatively those on
the opposite page

Accessories supplied mounted

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
	Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
C AT 8632C 5207	■					■	■		6072	2	14	
ACCESSORIES												
1 AT FEET 5207	Foot Order 4 pieces								152	1		
2 AT RUNN 5207	Crossbar to be slotted under the feet AT FEET Order 2 pieces								428	1		
3 AT WRCT 100	Swivel wheel D. 100 mm in rubber									1		
AT WRCT 125	Swivel wheel D. 125 mm in rubber									1		

All accessories include fixing screws when required

C	
Stacked edge height	310 mm
Usable stacked height / with lid	291 mm / 298 mm
Usable internal dimensions	755 x 555 x 306 H mm
Volume	130 L
Pieces per package / pallet	2 14
Package dimensions	820 x 620 x 655 H mm
Pallet dimensions	1200 x 800 x 2335 H mm
1	
Feet with fixing screws	100 H mm
Pièces par paquet	1
2	
Crossbar	25 H mm
Pieces per package	1
3	
Swivel wheel in rubber	diamètre 100/125 mm
Pièces par paquet	1


	ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
1	AT 86SE 5207	■	2215	5	60	
2	SPRING 0099	Document holder spring		10		
3	AT LH64 5107	Label holders		10		
4	LB 21081 0325	A4 sheet with 3 labels		25		
5	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm		1		
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm		1		
6	AT WRCF 100	Swivel wheel in rubber D. 100 mm		1		
	AT WRCF 125	Swivel wheel in rubber D. 125 mm		1		
7	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm		1		
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm		1		
8	AT WNCF 100	Fixed wheel in nylon D. 100 mm		1		
	AT WNCF 125	Fixed wheel in nylon D. 125 mm		1		
9	AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		
10	AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		



1



2



3

4




5

6



7

8



9

10

All accessories include fixing screws when required

DATASHEET

1	Separate lid	800 x 600 mm
	Pieces per pack / pallet	5 60
	Package dimensions	800 x 600 x 150 H mm
	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
	Pieces per package	10
3	Label holders	215 x 85 H mm
	Pieces per package	10
4	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per package	25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm footprint 128 mm H	
	Fixed wheel in nylon diameter 125 mm footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

C

Reinforced bottom
Load capacity 60 kg



1



Order 4 feet

2



Order 2 crossbars

3



Order 4 wheels
AT WRCT 100/125
or alternatively those on
the opposite page

Accessories supplied mounted

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

ARTICLE	WALLS			BOTTOM			HANDLES		GR.	PACKAGING		UNIT PRICE €
	Closed	Perforated		Closed	Perforated	Reinforced	Closed	Open		Qty. per pack.	Qty. per pallet	
C AT 8643C 5207	■					■	■		6986	1	10	
ACCESSORIES												
1 AT FEET 5207	Foot Order 4 pieces								152	1		
2 AT RUNN 5207	Crossbar to be slotted under the feet AT FEET Order 2 pieces								428	1		
3 AT WRCT 100	Swivel wheel D. 100 mm in rubber									1		
AT WRCT 125	Swivel wheel D. 125 mm in rubber									1		


All accessories include fixing screws when required

C	
Stacked edge height	415 mm
Usable stacked height / with lid	396 mm / 403 mm
Usable internal dimensions	755 x 555 x 411 H mm
Volume	175 L
Pieces per package / pallet	1 10
Package dimensions	820 x 620 x 450 H mm
Pallet dimensions	1200 x 800 x 2240 H mm
1	
Feet with fixing screws	100 H mm
Pieces per package	1
2	
Crossbar	25 H mm
Pieces per package	1
3	
Swivel wheel in rubber	diamètre 100/125 mm
Pieces per package	1

800 x 600 mm H 430 mm

iMICUBE


ARTICLE	SEPARATE LID	GR.	PACKAGING		UNIT PRICE €
			Qty. per pack.	Qty. per pallet	
1 AT 86SE 5207	■	2215	5	60	
2 SPRING 0099	Document holder spring		10		
3 AT LH64 5107	Label holders		10		
4 LB 21081 0325	A4 sheet with 3 labels		25		
5	AT WRBT 100	Swivel wheel in rubber w/brake D. 100 mm	1		
	AT WRBT 125	Swivel wheel in rubber w/brake D. 125 mm	1		
6	AT WRCF 100	Swivel wheel in rubber D. 100 mm	1		
	AT WRCF 125	Swivel wheel in rubber D. 125 mm	1		
7	AT WNBT 100	Swivel wheel in nylon w/brake D. 100 mm	1		
	AT WNBT 125	Swivel wheel in nylon w/brake D. 125 mm	1		
8	AT WNCF 100	Fixed wheel in nylon D. 100 mm	1		
	AT WNCF 125	Fixed wheel in nylon D. 125 mm	1		
9 AT WHBT 125	Swivel wheel non-marking rubber w/brake D. 125 mm		1		
10 AT WHCF 125	Fixed wheel non-marking rubber D. 125 mm		1		




All accessories include fixing screws when required

DATASHEET

1	Separate lid	800 x 600 mm
	Pieces per pack / pallet	5 60
	Package dimensions	800 x 600 x 150 H mm
	Pallet dimensions	1200 x 800 x 860 H mm
2	Document holder spring	
	Pieces per package	10
3	Label holders	215 x 85 H mm
	Pieces per package	10
4	A4 sheet with 3 labels	210 x 81 H mm
	Pieces per package	25
5	Swivel wheel in rubber with brake D. 100 mm footprint 128 H mm	
	Swivel wheel in rubber with brake D. 125 mm footprint 155 H mm	
6	Rubber fixed wheel diameter 100 mm - footprint 128 mm H	
	Rubber fixed wheel diameter 125 mm - footprint 155 mm H	
7	Swivel wheel in nylon with brake diameter 100 mm footprint 128 H mm	
	Swivel wheel in nylon with brake diameter 125 mm footprint 155 H mm	
8	Fixed wheel in nylon diameter 100 mm footprint 128 mm H	
	Fixed wheel in nylon diameter 125 mm footprint 155 mm H	
9	Swivel wheel in non-marking rubber with brake diameter 125 mm - footprint 155 H mm	
10	Fixed wheel in non-marking rubber diameter 125 mm - footprint 155 H mm	



iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

**ANTI-SLIP**

The particular pattern in relief on the upper part has a non-slip design, ensuring maximum grip even when wet.

**SAFETY**

The linear and corner connecting ramps increase safety for operators using trolleys, ease the rolling of wheels and improve visual characteristics for accident prevention.

**WIRING**

The non-slip mats are suitable for the totally safe housing of electric cables laid on the floor.

**CLIP**

All parts can be joined and removed quickly and easily by means of the special galvanised clip system.



MATS

These **MATS** are made of PE-LD (low density polyethylene) and are suitable especially in engineering workshops, metal processing industries, washing installations, food industries, warehouses, bathing facilities, campsites, wardrobes, etc.

The summary results of testing in the Plastics Centre of Southern Germany were as follows: the

mats showed good floor adherence both in no-load and full-load conditions; they did not form bevels (which may cause the user to stumble) or large gaps. Also, they remain equally usable in damp conditions as they have a raised surface.

800 x 400 mm H 25 mm

iMICUBE

	ARTICLE	CLOSED WALKING SURFACE	PERFORATED WALKING SURFACE	GR.	PACKAGING		UNIT PRICE €	
					Qty. per pack.	Qty. per pallet		
A	CA 0804A 4207	■		2339	4	105		▲
	ACCESSORIES							
C	CA 0401A 4207	■		269	20			▲
D	CA 0101A 4207	■		69	10			▲
E	CA CLIP				10			



DATASHEET

A - CLOSED NON-SLIP MAT

Dimensions	800 x 400 x 25 H mm
Walking surface	without slots
Pieces per pack / pallet	4 105
Package dimensions	800 x 400 x 100 H mm
Pallet dimensions	1200 x 800 x 1025 H mm

B - PERFORATED NON-SLIP MAT

Dimensions	800 x 400 x 25 H mm
Walking surface	with slots
Pieces per pack / pallet	4 105
Package dimensions	800 x 400 x 100 H mm
Pallet dimensions	1200 x 800 x 1025 H mm

C - LINEAR CONNECTING RAMP FOR MAT

Dimensions	400 x 120 x 25 H mm
Pieces per pack	20

D - CORNER CONNECTING RAMP FOR MAT

Dimensions	120 x 120 x 25 H mm
Pieces per pack	10

E - GALVANISED CONNECTION CLIP

Pieces per pack	10
-----------------	----

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



COMPAT

The **COMPAT** container series is the ideal solution to any storage problems in the warehouse, workshop or on assembly lines. They allow you to have the contents always at hand and in full view, making them easily extractable.

These containers can be stacked stably and safely and the material is just as easily accessible even when they are one on top of the other.

BOTTOMS

iMICUBE

COMPAT

71

CO

smooth bottom



ribbed bottom



CROSSBAR



The largest containers are equipped with a frontal crossbar that helps prevent any deformation of the side walls due to large loads and to facilitate grip.

HANDLES



Lifting and transport are aided by convenient handles that allow for quick grip even with gloves.

SIDE REINFORCEMENT



Lateral reinforcement on the bottom allows the containers to be stacked safely even when fully loaded.

ACCESSORIES



The containers can be divided longitudinally and transversely for load units with multiple products inside them.




Practical transparent doors protect against dust.



Internal partition with removable boxes

	ARTICLE	SMOOTH BOTTOM	SIZE 01	SIZE 0	GR.	PACKAGING		UNIT PRICE €
		Closed				Qty. per pack.	Qty. per pallet	
A	CO Z000 5207	■		■	43	98	-	
C	LB 4911 8001	■		■		1		



A	
Volume	0,08 L
Pieces per pack	📦 100
Package dimensions	350 x 270 x 170 H mm
B	
Volume	0,25 L
Pieces per pack	📦 98
Package dimensions	470 x 300 x 350 H mm
C	
Sheet of 80 labels for size 0	49 x 11 H mm

DATASHEET


	ARTICLE	SMOOTH BOTTOM	SIZE 1	SIZE 2	GR.	PACKAGING		UNIT PRICE €	
						Qty. per pack.	Qty. per pallet		
		Closed							
A	CO C001 5207	■	■		87	50	1750		▲
B	CO C002 5207	■		■	240	54	1080		▲
C	CO C1S2 5207		■		45	25	-		▲
	CO C2S2 5207			■	112	25	-		▲
D	CO C1S4 5207		■		56	25	-		▲
	CO C2S4 5207			■	134	25	-		▲
E	LB 7520 3601		■			1			
	LB 10433 1601			■		1			



Closed bottom
Load capacity 2 kg



Closed bottom
Load capacity 5 kg



DATASHEET

A	
Volume	1 L
Pieces per pack / pallet	50 1750
Package dimensions	520 x 350 x 370 H mm
Pallet dimensions	1300 x 1100 x 2000 H mm
B	
Volume	3,8 L
Pieces per pack / pallet	54 1080
Package dimensions	720 x 460 x 500 H mm
Pallet dimensions	1450 x 1200 x 2100 H mm
C	
Divider 2 compartments for size 1	
Divider 2 compartments for size 2	
D	
Divider 4 compartments for size 1	
Divider 4 compartments for size 2	
E	
Sheet of 36 labels for size 1	75 x 20 H mm
Sheet of 16 labels for size 2	104 x 33 H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	RIBBED BOTTOM	SIZE 3A2	SIZE 3	SIZE 3L5	GR.	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
▲	A C0 C3A2 5207	■	■			670	21	252	
▲	B C0 C003 5207	■		■		878	15	180	

A

Ribbed bottom
Load capacity 15 kg



B

Ribbed bottom
Load capacity 20 kg



Ribbed bottom
Load capacity 20 kg

A

Volume	9,4 L
Pieces per pack / pallet	21 252
Package dimensions	360 x 640 x 980 H mm
Pallet dimensions	1300 x 1000 x 2000 H mm

B

Volume	12,5 L
Pieces per pack / pallet	15 180
Package dimensions	360 x 640 x 980 H mm
Pallet dimensions	1300 x 1000 x 2000 H mm

Volume

Pieces per pack / pallet

Package dimensions

Pallet dimensions

DATASHEET

Size 3A2 - Size 3 - Size 3L5

iMILCUBE

ACCESSORIES

75

CO

	ARTICLE	SIZE 3A2	SIZE 3	SIZE 3L5	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	CD C3A2 0099	■			200	1		
	CD C003 0099		■		300	1		
	CD Z3L5 0099			■	250	1		
B	CD C3A2 7107	■			108	10		
	CD C003 7107		■		160	10		
	CD Z3L5 7107			■	114	10		
C	CW C3A2 6896	■			28	10		
	CW C003 6896		■		40	10		
D	LH C000 0099	■	■		100	1		
E	LB 7731 1801	■		■		1		
	LB 7742 1201		■			1		



A




B



C



D



E

DATASHEET

A	
Galvanised longit. divider size 3A2	302 x 105 H mm
Galvanised longit. divider size 3	307 x 160 H mm
Galvanised longit. divider size 3L5	326 x 115 H mm
Pieces per pack	1
B	
Plastic longit. divider size 3A2	300 x 105 H mm
Plastic longit. divider size 3	305 x 160 H mm
Plastic longit. divider size 3L5	325 x 105 H mm
Pieces per pack	10
C	
Dust cover size 3A2	
Dust cover size 3	
Pieces per pack	10
D	
Inclined galvanised tag holder for size 3 - 3A2	100 x 67 mm
Pieces per pack	1
E	
Sheet of 18 labels for size 3A2 - 3L5	77 x 31 mm
Sheet of 12 labels for size 3	77 x 42 mm
Pieces per pack	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

iMilani
innovative
italian
ideas

Size 4A2 - Size 4 - Size 4A5

	ARTICLE	RIBBED BOTTOM	SIZE 4A2	SIZE 4	SIZE 4A5	GR.	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
▲	A C0 C4A2 5207	■	■			1374	14	112	
▲	B C0 C004 5207	■		■		1495	10	80	
▲	C C0 C4A5 5207	■			■	1874	6	48	

A

Ribbed bottom
Load capacity 35 kg



B

Fondo nervato
Portata 35 kg



C

Fondo nervato
Portata 35 kg



A

Volume	20 L
Pieces per pack / pallet	14 112
Package dimensions	640 x 520 x 900 H mm
Pallet dimensions	1300 x 1000 x 2150 H mm

B

Volume	28 L
Pieces per pack / pallet	10 80
Package dimensions	640 x 520 x 980 H mm
Pallet dimensions	1300 x 1000 x 2150 H mm

C

Volume	42 L
Pieces per pack / pallet	6 48
Package dimensions	640 x 520 x 900 H mm
Pallet dimensions	1300 x 1000 x 2150 H mm

DATASHEET

	ARTICLE	SIZE 4A2	SIZE 4	SIZE 4A5	GR.	PACKAGING		UNIT PRICE €
						Qty. per pack.	Qty. per pallet	
A	CD C4A2 0099	■			360	1		
	CD C004 0099		■		500	1		
	CD C4A5 0099			■	540	1		
B	CD C004 7107		■		236	10		
	CD C4A5 7107			■	390	10		
C	CD C004 0199		■		368	1		
D	CW C004 6896		■		66	10		
	CW C4A5 6896			■	92	10		
E	LH C000 0099		■	■	100	1		
F	LB 7731 1801	■				1		
	LB 7742 1201		■	■		1		



A



B



C




D



E



F



DATASHEET

A

Galvanised longit. divider size 4A2	457 x 120 H mm
Galvanised longit. divider size 4	426 x 160 H mm
Galvanised longit. divider size 4A5	460 x 249 H mm
Pieces per pack	1

B

Plastic longit. divider size 4	460 x 160 H mm
Plastic longit. divider size 4A5	460 x 250 H mm
Pieces per pack	10

C

Pair of galvanised transverse dividers size 4	
Pieces per pack	1

D

Dust cover size 4	
Dust cover size 4A5	
Pieces per pack	10

E

Inclined galvanised tag holder for size 4 - 4A5	100 x 67 mm
Pieces per pack	1

F

Sheet 18 labels for size 4A2	77 x 31 mm
Sheet 12 labels for size 4 - 4A5	77 x 42 mm
Pieces per pack	1

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



ZEUS

The **ZEUS** box series meets the most exacting needs for goods containment, handling and storage.

Manageable, lightweight and easy to clean

thanks to a perfectly smooth interior, they have a sturdy edge that allows stable and safe stacking. Stackability combined with high storage capacity results in ideal use of space.

BOTTOMS

iMICUBE

smooth bottom



ribbed bottom



SIDE REINFORCEMENT



Lateral reinforcement on the bottom allows the boxes to be stacked safely even when fully loaded.

HANDLES - WALLS

closed handle closed walls



Size 701 - Size 702 - Size 272-2

	ARTICLE	SMOOTH BOTTOM	SIZE 701	SIZE 702	SIZE 272-2	GR.	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
A	ZE 701 5207	■	■			74	50	1600	
B	ZE 702 5207	■		■		119	30	960	
C	ZE 2002 5207	■			■	296	54	1080	

A

Size 701
144 x 91 x 70 H mm

Smooth bottom



B

Size 702
144 x 139 x 70 H mm

Smooth bottom



C

Size 272-2
211 x 148 x 126 H mm

Smooth bottom
Load capacity 5 kg



A

Stacked edge height	65 mm
Usable stacked height / Volume	63 mm / 0,9 L
Dimensions	144 x 91 x 70 H mm
Usable internal dimensions	123 x 81 x 68 H mm
Pieces per pack / pallet	50 1600
Package dimensions	470 x 300 x 350 H mm
Pallet dimensions	1200 x 1000 x 1550 H mm

B

Stacked edge height	65 mm
Usable stacked height / Volume	63 mm / 1,4 L
Dimensions	144 x 139 x 70 H mm
Usable internal dimensions	124 x 126 x 68 H mm
Pieces per pack / pallet	30 960
Package dimensions	470 x 300 x 350 H mm
Pallet dimensions	1200 x 1000 x 1550 H mm

C

Stacked edge height	112 mm
Usable stacked height / Volume	110 mm / 3,6 L
Dimensions	211 x 148 x 126 H mm
Usable internal dimensions	187 x 125 x 124 H mm
Pieces per pack / pallet	54 1080
Package dimensions	720 x 460 x 500 H mm
Pallet dimensions	1450 x 1200 x 2100 H mm

DATASHEET

Size 272-3A2 - Size 272-4A2 - Size 272-4

iMICUBE

	ARTICLE	RIBBED BOTTOM	SIZE 272-3A2	SIZE 272-4A2	SIZE 272-4	GR.	PACKAGING		UNIT PRICE €
							Qty. per pack.	Qty. per pallet	
A	ZE Z3A2 5207	■	■			585	21	252	
B	ZE Z4A2 5207	■		■		1089	16	128	
C	ZE Z004 5207	■			■	1422	10	80	
D	LB 18292 0301			■			1		
	LB 18985 0301				■		1		

310 x 210 x 145 H mm

A




465 x 315 x 120 H mm

B




465 x 315 x 200 H mm

C



D



DATASHEET

A	
Stacked edge height	132 mm
Usable stacked height / Volume	130 mm / 8,7 L
Dimensions	310 x 210 x 145 H mm
Usable internal dimensions	284 x 184 x 142 H mm
Pieces per pack / pallet	21 252
Package dimensions	360 x 640 x 980 H mm
Pallet dimensions	1350 x 1100 x 2110 H mm
B	
Stacked edge height	107 mm
Usable stacked height / Volume	105 mm / 16,2 L
Dimensions	465 x 315 x 120 H mm
Usable internal dimensions	423 x 275 x 118 H mm
Pieces per pack / pallet	16 128
Package dimensions	640 x 520 x 900 H mm
Pallet dimensions	1300 x 1000 x 2150 H mm
C	
Stacked edge height	183 mm
Usable stacked height / Volume	181 mm / 27 L
Dimensions	465 x 315 x 200 H mm
Usable internal dimensions	423 x 277 x 195 H mm
Pieces per pack / pallet	10 80
Package dimensions	640 x 520 x 980 H mm
Pallet dimensions	1300 x 1000 x 2150 H mm
D	
Sheet of 3 labels for size 272-4A2	182 x 92 H mm
Sheet of 3 labels for size 272-4	189 x 85 H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.



RK

Everything in order and clearly visible for flexible and functional storage: this is the result of the design and construction of the **RK** series of polypropylene boxes and their dedicated shelving system.

Available in eleven different sizes to meet every need, the drawers are ideal for spare parts dealers on account of their resistance to oils and their internal divisibility.

WALLS

iMICUBE



Made of top quality polypropylene, the RK boxes have walls strengthened with special ribbing to protect against shocks.

RK

83

RK

LABELS



Fitted with label holders available in various sizes proportionate to the size of the boxes to which they are applied.



HANDLES



A special handle can be supplied on request for easy lifting and transportation of the RK boxes.

BOTTOMS

smooth bottom



DIVIDERS



Made of transparent polystyrene, the dividers allow the inside of the boxes to be partitioned into several compartments.

	ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING		UNIT PRICE €
		Closed				Qty. per pack.	Qty. per pallet	
▲	A RK 3012 5207	■	4	1	380	32	512	
▲	B RK 3016 5207	■	4	1	414	24	384	



A	
Usable internal dimensions	257 x 95 x 97 H mm
Pieces per pack / pallet	 32  512
Package dimensions	970 x 310 x 385 H mm
Pallet dimensions	1300 x 1000 x 1700 H mm

B	
Usable internal dimensions	257 x 136 x 97 H mm
Pieces per pack / pallet	 24  384
Package dimensions	970 x 310 x 390 H mm
Pallet dimensions	1300 x 1000 x 1700 H mm

Depth 300 mm

iMICUBE

Width 120 - 160 mm

	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
D	RK H120 5207	Handle facilitated grip for width 120 mm	18	1		
	RK H160 5207	Handle facilitated grip for width 160 mm	20	1		
E	RK D120 5207	Divider for width 120 mm	25	1		
	RK D160 5207	Divider for width 160 mm	32	1		
G	LB 08024 2401	Divider label 120 mm		1		
	LB 12124 1601	Divider label 160 mm		1		
H	LB 08142 1201	Front Label for W=120 mm		1		
	LB 12144 0801	Front Label for W=160 mm		1		



D



E



G



H

DATASHEET

D

Handle for RK3012	70 x 90 H mm
Handle for RK3016	110 x 90 H mm

E

Galvanised transverse divider size RK3012	100 x 90 H mm
Galvanised transverse divider size RK3016	145 x 90 H mm

F

Galvanised longitudinal divider	268 x 88 H mm
---------------------------------	---------------

G

Sheet of 24 labels for RK D120	80 x 24 mm
Sheet of 16 labels for RK D160	121 x 24 mm

H

Sheet of 12 labels for RK3012	81 x 42 mm
Sheet of 8 labels for RK3016	121 x 44 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

	ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING		UNIT PRICE €
		Closed				Qty. per pack.	Qty. per pallet	
▲	A RK 4012 5207	■	6	1	491	32	384	
▲	B RK 4016 5207	■	6	1	502	24	288	
▲	C RK 4024 5207	■	6	3	721	16	192	



A	
Usable internal dimensions	357 x 95 x 97 H mm
Pieces per pack / pallet	32 384
Package dimensions	970 x 415 x 400 H mm
Pallet dimensions	1300 x 1000 x 1700 H mm

B	
Usable internal dimensions	357 x 136 x 97 H mm
Pieces per pack / pallet	24 288
Package dimensions	970 x 415 x 400 H mm
Pallet dimensions	1300 x 1000 x 1700 H mm

C	
Usable internal dimensions	357 x 215 x 97 H mm
Pieces per pack / pallet	16 192
Package dimensions	970 x 415 x 400 H mm
Pallet dimensions	1300 x 1000 x 1700 H mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 400 mm

iMICUBE

Width 120 - 160 - 240 mm

	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
D	RK H120 5207	Handle facilitated grip for width 120 mm	18	1		
	RK H160 5207	Handle facilitated grip for width 160 mm	18	1		
	RK H240 5207	Handle facilitated grip for width 240 mm	22	1		
E	RK D120 5207	Divider for width 120 mm	25	1		
	RK D160 5207	Divider for width 160 mm	32	1		
	RK D240 5207	Divider for width 240 mm	56	1		
G	LB 08024 2401	Divider label 120 mm		1		
	LB 12124 1601	Divider label 160 - 240 mm		1		
H	LB 08142 1201	Front Label for W=120 mm		1		
	LB 12144 0801	Front Label for W=160 mm		1		
	LB 20043 0601	Front Label for W=240 mm		1		



D



E



G



H



DATASHEET

D

Handle for RK 4012	70 x 90 H mm
Handle for RK 4016	110 x 90 H mm
Handle for RK 4024	120 x 80 H mm

E

Galvanised transverse divider size RK 4012	100 x 90 H mm
Galvanised transverse divider size RK 4016	145 x 90 H mm
Galvanised transverse divider size RK 4024	225 x 90 H mm

F

Galvanised longitudinal divider	368 x 88 H mm
---------------------------------	---------------

G

Sheet of 24 labels for RK D120	80 x 24 mm
Sheet of 16 labels for RK D160/RK D240	121 x 24 mm

H

Sheet of 12 labels for RK 4012	81 x 42 mm
Sheet of 8 labels for RK 4016	121 x 44 mm
Sheet of 6 labels for RK 4024	200 x 43 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

		ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING		UNIT PRICE €
			Closed				Qty. per pack.	Qty. per pallet	
▲	A	RK 5012 5207	■	8	1	591	32	256	
▲	B	RK 5016 5207	■	8	1	605	24	192	
▲	C	RK 5024 5207	■	8	3	858	16	128	

A



B



C



A

Usable internal dimensions	457 x 95 x 97 H mm
Pieces per pack / pallet	32 256
Package dimensions	970 x 515 x 390 H mm
Pallet dimensions	1050 x 1000 x 1700 H mm

B

Usable internal dimensions	457 x 136 x 97 H mm
Pieces per pack / pallet	24 192
Package dimensions	970 x 515 x 390 H mm
Pallet dimensions	1050 x 1000 x 1700 H mm

C

Usable internal dimensions	457 x 215 x 97 H mm
Pieces per pack / pallet	16 128
Package dimensions	970 x 515 x 390 H mm
Pallet dimensions	1050 x 1000 x 1700 H mm

DATASHEET

Depth 500 mm

iMICUBE

Width 120 - 160 - 240 mm

	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
D	RK H120 5207	Handle facilitated grip for width 120 mm	18	1		
	RK H160 5207	Handle facilitated grip for width 160 mm	18	1		
	RK H240 5207	Handle facilitated grip for width 240 mm	22	1		
E	RK D120 5207	Divider for width 120 mm	25	1		
	RK D160 5207	Divider for width 160 mm	32	1		
	RK D240 5207	Divider for width 240 mm	56	1		
G	LB 08024 2401	Divider label 120 mm		1		
	LB 12124 1601	Divider label 160 - 240 mm		1		
H	LB 08142 1201	Front Label for W=120 mm		1		
	LB 12144 0801	Front Label for W=160 mm		1		
	LB 20043 0601	Front Label for W=240 mm		1		



D



E



G



H



DATASHEET

D

Handle for RK 5012	70 x 90 H mm
Handle for RK 5016	110 x 90 H mm
Handle for RK 5024	120 x 80 H mm

E

Galvanised transverse divider size RK 5012	100 x 90 H mm
Galvanised transverse divider size RK 5016	145 x 90 H mm
Galvanised transverse divider size RK 5024	225 x 90 H mm

F

Galvanised longitudinal divider	468 x 88 H mm
---------------------------------	---------------

G

Sheet of 24 labels for RK D120	80 x 24 mm
Sheet of 16 labels for RK D160/RK D240	121 x 24 mm

H

Sheet of 12 labels for RK 5012	81 x 42 mm
Sheet of 8 labels for RK 5016	121 x 44 mm
Sheet of 6 labels for RK 5024	200 x 43 mm

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

Depth 600 mm

Width 160 mm H 100

ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING		UNIT PRICE €
	Closed				Qty. per pack.	Qty. per pallet	
A RK 6016 5207	■	10	1	741	24	192	

Depth 655 mm

Width 160 mm H 100

ARTICLE	BOTTOM WALLS HANDLES	TRANSVERSE DIVIDERS APPLICABLE	LONGITUDINAL DIVIDERS APPLICABLE	GR.	PACKAGING		UNIT PRICE €
	Closed				Qty. per pack.	Qty. per pallet	
B RK 6516 5207	■	11	1	816	24	192	

A



B



A

Usable internal dimensions	560 x 136 x 97 H mm
Pieces per pack / pallet	 24  192
Package dimensions	970 x 620 x 390 H mm
Pallet dimensions	1300 x 1000 x 1700 H mm

B

Usable internal dimensions	613 x 136 x 97 H mm
Pieces per pack / pallet	 24  192
Package dimensions	980 x 670 x 390 H mm
Pallet dimensions	1300 x 1000 x 1700 H mm

DATASHEET

Depth 600 mm

iMICUBE

Width 160 mm

	ARTICLE	DESCRIPTION	GR.	PACKAGING		UNIT PRICE €
				Qty. per pack.	Qty. per pallet	
D	RK H160 5207	Handle facilitated grip for width 160 mm	18	1		
E	RK D160 5207	Divider for width 140 mm	32	1		
G	LB 8024 2401	Divider for width 160 mm		1		
	LB 12124 1601	Divider label 160 mm		1		
H	LB 12144 0801	Front Label for W=140/160mm		1		



D



E



G



H

DATASHEET

D

Handle for RK6016	120 x 90 H mm
-------------------	---------------

E

Galvanised transverse divider size RK 4314	137 x 75 H mm
Galvanised transverse divider size RK 6016	145 x 90 H mm

F

Galvanised transverse divider size RK6016	568 x 88 H mm
---	---------------

G

Sheet of 24 labels for RK D140	80 x 24 mm
Sheet of 16 labels for RK D160	121 x 24 mm

H

Sheet of 8 labels for RK 4314-6016-6516	121 x 44 mm
---	-------------

iMilani srl reserves the right to alter the characteristics of products without notice. The values shown are nominal, with a +/- 1% tolerance for size, depending on the material, and a +/- 3% for weight.

iMilani

innovative
italian
ideas

iMilani srl -SB

Via Capitano Alessio, 109
36027 Rosà (VI) — Italy

Tel +39 0424 583100
info@imilani.it
www.imilani.com