



Interior van coverings
Roof system
Shelving and accessories

COMMERCIAL VAN RACKING

FIAT

Doblò | Scudo | Ducato



INNOVATION
SINCE 1929.



PROFESSIONAL INDUSTRIAL FURNISHINGS

For **over 90 years**, Fami has been a leading manufacturer in **Italy** and **worldwide**, producing **high-quality** industrial furniture, warehouse systems, and workshop equipment **made in Italy**, supported by comprehensive pre- and after-sales service.

Fami's experience and expertise have led to the development of new business units focused on **efficient, high-quality solutions**.

Through the Store Van brand, Fami offers advanced **van racking systems** designed to improve organisation and ensure high performance during on-site operations.

Associated companies **Comi** and **Hekla** support the group with metal containers production and plastic moulding solutions.

Certified company:



Since January 2026, **Fami Srl** has been officially recognised as a **"Italian Historical Trademark"**, highlighting its heritage, expertise and strong roots. Our passion makes us the ideal partner for your business.



VAN RACKING FOR COMMERCIAL VEHICLES

Thanks to its **experience** and **expertise**, Store Van has developed a wide range of components to transform a commercial vehicle into the **perfect mobile workshop**.

The combination of van shelving, roof racks, small parts storage cases, plastic bins, and many other components makes it possible to create **high-quality** van racking for every professional requirement.

The quality of Store Van products is guaranteed by the use of **automotive galvanized steel** and **cathodic coating**, a treatment that significantly increases product durability and corrosion resistance over time.



AUTOMOTIVE GALVANNEALED STEEL

For its van shelving, Store Van uses **galvanized steel** sheet, a more advanced solution than traditional hot-dip galvanized steel. After the galvanizing process, the steel is heated again to 550°C, promoting the formation of a zinc-steel alloy. This treatment creates a **uniform and compact surface layer**, ensuring **superior corrosion resistance**.

CATHODIC DIP PAINTING WITH ACRYLIC RESIN

Cathodic coating creates a **uniform** acrylic resin **layer** on the surface of the van racking, providing **excellent protection** against chemical and atmospheric agents without altering the technical properties of the products. This treatment offers enhanced **resistance to corrosion** and rust formation, significantly extending the service life of the products.



CONVERSION TABLE FIAT / STORE VAN



DOBLÒ

STORE VAN

Year	Volume	Wheelbase	Length	Height
------	--------	-----------	--------	--------



M

► L1 H1

2022

3,3 m³

2785 mm

4401 mm

1825 mm



XL

► L2 H1

2022

3,9 m³

2975 mm

4751 mm

1820 mm

SCUDO

STORE VAN

Year	Volume	Wheelbase	Length	Height
------	--------	-----------	--------	--------



M

► L2 H1

2022

5,3 m³

3277 mm

4980 mm

1930 mm



XL

► L2L H1

2022

6,1 m³

3277 mm


5330 mm

1935 mm

DUCATO

STORE VAN

Year	Volume	Wheelbase	Length	Height
------	--------	-----------	--------	--------



L2 H1

► L2 H1

2014

10 m³

3450 mm

5413 mm

2254 mm



L2 H2

► L2 H2


2014

11,5 m³

3450 mm

5413 mm

2524 mm



L3 H2

► L3 H2


2014

13 m³

4035 mm

5998 mm

2524 mm



L3 H3

► L3 H3


2014

15 m³

4035 mm

5998 mm

2764 mm



L4 H2

► L3L H2

2014

15 m³

4035 mm

6363 mm

2524 mm



L4 H3

► L3L H3

2014

17 m³

4035 mm

6363 mm

2764 mm

INDEX

4 INTERIOR COVERINGS

WALL PANELS	6		HONEYCOMB PANEL
	8		ALUMINUM PANEL
FLOORINGS	10		WOOD FLOOR
	12		SAFETY FLOOR
	16		ALUMINIUM FLOOR



18 ROOF SYSTEM

20		ROOF BARS
22		ROOF BARS WITH FIXED LADDER RACK
24		ROOF RACK
26		LADDER RACK





30 VAN RACKING

DOBLÒ	34		VAN RACKING EXAMPLES
	48		L1 H1
	52		L2 H1
SCUDO	56		L2 H1
	62		L2L H1
DUCATO	68		L2 H1
	74		L2 H2
	80		L3 H2
ACCESSORIES	92		





INTERIOR VAN COVERINGS





WALL PANELS

HONEYCOMB PANEL



The panels are made of 4 mm **honeycomb polypropylene**, a lightweight and durable material. Thanks to their impact-resistant structure and flexibility, they easily adapt to the vehicle's thermal expansion, providing **effective protection** for walls and doors against impacts and scratches.

ALUMINIUM PANEL



The aluminium panels are made from **square-perforated aluminium** sheets, custom-shaped for each vehicle model. This solution reinforces the cargo area bodywork and turns it into a functional **tool storage wall**, ideal for securing tools and accessories in a practical and safe way.

FLOORINGS

WOOD FLOOR



Wood Floor is a phenolic-coated wood flooring system supplied as standard with cut-outs for the vehicle's **original anchoring points**. Manufactured from **9 mm** or **12 mm** birch plywood, it provides **enhanced grip** and ensures safe load securing in compliance with current regulations.

SAFETY FLOOR





Safety Floor is the wooden floor specifically designed to provide **maximum load securing safety**. Its robust 9 mm birch plywood structure is equipped with medium "Airline" **anchoring** and **fixing** points, allowing cargo to be secured to the vehicle flooring quickly and easily.

ALUMINIUM FLOOR



Aluminium van flooring consists of an **aluminium diamond** plate sheet bonded to a birch plywood floor. This structure provides enhanced **strength** and long-term durability, while the five-almond embossed pattern delivers a **slip-resistant** surface for greater safety and reliability during daily operations.

HONEYCOMB PANEL



A polypropylene panel for the left side wall, right side wall and sliding door.

B polypropylene panel for the lower section of the rear hinged doors.

C polypropylene panel for the upper section of the rear hinged doors.


The following items are available for vehicles with **sheet metal side panels**.

DOBLÒ


Vehicle	A	B	C
L1 H1 ^{P1}	F22HPPA10H1A101	-	F22HPPADRH1A001
L2 H1 ^{P1}	F22HPPA20H1A101	-	F22HPPADRH1A001

^{P1} right side door

L1 H1 ^{P1}



L2 H1 ^{P1}






SCUDO

Vehicle	A	B	C
L2 H1 P1	F22HPEX20H1A001	F22HPEXDR00A001	F22HPEXDRH1A001
L2L H1 P1	F22HPEX2LH1A001	F22HPEXDR00A001	F22HPEXDRH1A001

P1 right side door

L2 H1 P1



L2L H1 P1




DUCATO


Vehicle	A+B	C
L2 H1 P1	F22HPDU20H1A001	F22HPDUDRH1A001
L2 H2 P1	F22HPDU20H2A001	F22HPDUDRH2A001
L3 H2 P1	F22HPDU30H2A001	F22HPDUDRH2A001
L3 H3 P1	F22HPDU30H3A001	F22HPDUDRH3A001
L3L H2 P1	F22HPDU3LH2A001	F22HPDUDRH2A001
L3L H3 P1	F22HPDU3LH3A001	F22HPDUDRH3A001

P1 right side door


L2 H1 P1




L2 H2 P1




L3 H2 P1




L3 H3 P1





L3L H2 P1



L3L H3 P1



ALUMINIUM PANEL



A aluminium panel for the left side wall, right side wall and sliding door.

B aluminium panel for the lower section of the rear hinged doors.

C aluminium panel for the upper section of the rear hinged doors.


The following items are available for vehicles with **sheet metal side panels**.

SCUDO



Vehicle	A	B	C
L2 H1 ^{P1}	F22 APEX20H1A 000	F22 APEXDR00A 000	F22 APEXDRH1A 000
L2L H1 ^{P1}	F22 APEX2LH1A 000	F22 APEXDR00A 000	F22 APEXDRH1A 000



^{P1} right side door

L2 H1 ^{P1}



L2L H1 ^{P1}






DUCATO


Vehicle	A+B	C
L2 H1 ^{P1}	F22 APDU20H1A 000	F22 APDUDRH1A 000
L2 H2 ^{P1}	F22 APDU20H2A 000	F22 APDUDRH2A 000
L3 H2 ^{P1}	F22 APDU30H2A 000	F22 APDUDRH2A 000
L3 H3 ^{P1}	F22 APDU30H3A 000	F22 APDUDRH3A 000
L3L H2 ^{P1}	F22 APDU3LH2A 000	F22 APDUDRH2A 000
L3L H3 ^{P1}	F22 APDU3LH3A 000	F22 APDUDRH3A 000

^{P1} right side door


L2 H1 ^{P1}




L2 H2 ^{P1}




L3 H2 ^{P1}




L3 H3 ^{P1}



L3L H2 ^{P1}



L3L H3 ^{P1}



WOOD FLOOR



- D** 9 mm phenolic-coated wood flooring with cut-outs for the vehicle's original anchoring points.
- E** 12 mm phenolic-coated wood flooring with cut-outs for the vehicle's original anchoring points.
- F** 12 mm phenolic-coated wooden bulkhead panel.



DOBLÒ

Vehicle	D 9 mm	E 12 mm	F
L1 H1 ^{P3}	F22WFPA10D1B11S	-	-
L2 H1 ^{P3}	F22WFPA20D1B11S	-	-

^{P3} with and without right and left side doors

L1 H1 ^{P3}



L2 H1 ^{P3}





SCUDO

Vehicle	D 9 mm	E 12 mm	F
L2 H1 ^{P1}	F22WFEX20D1A01S	-	F22WFEXWBT1A01S
L2L H1 ^{P1}	F22WFEX2LD1A01S	-	F22WFEXWBT1A01S

^{P1} right side door

L2 H1 ^{P1}



L2L H1 ^{P1}



BULKHEAD PANEL




DUCATO


Vehicle	D 9 mm	E 12 mm	F
L2 H1 / H2 ^{P1}	F22WFDU20D1A01S	F22WFDU20T1A01S	F22WFDUWBT1A01S
L3 H2 / H3 ^{P1}	F22WFDU30D1A01S	F22WFDU30T1A01S	F22WFDUWBT1A01S
L3L H2 / H3 ^{P1}	F22WFDU3LD1A01S	F22WFDU3LT1A01S	F22WFDUWBT1A01S

^{P1} right side door


L2 H1 / H2 ^{P1}



L3 H2 / H3 ^{P1}




L3L H2 / H3 ^{P1}



BULKHEAD PANEL



SAFETY FLOOR



D 9 mm phenolic-coated wood flooring with cut-outs for the vehicle's original anchoring points and medium "Airline" anchoring points.
⚠ For improved performance and long-term durability, it is recommended to secure the flooring to the vehicle floor using silicone adhesive.

F 12 mm phenolic-coated wooden bulkhead panel.

➡ See page 17



DOBLÒ

Vehicle	D 9 mm	F
L1 H1 P3	F22SFPA10K1B11S	-
L2 H1 P3	F22SFPA20K1B11S	-

P3 with and without right and left side doors

L1 H1 P3

L2 H1 P3



Each row of fixing points is equipped with 4 medium "Airline" anchoring points.





SCUDO

Vehicle	D 9 mm	F
L2 H1 ^{P1}	F22 SFEX20K1A01S	F22 WFEXWBT1A01S
L2L H1 ^{P1}	F22 SFEX2LK1A01S	F22 WFEXWBT1A01S

^{P1} right side door

L2 H1 ^{P1}



L2L H1 ^{P1}



BULKHEAD
PANEL



Each row of fixing points is equipped with 2/6 medium "Airline" anchoring points.

DUCATO

Vehicle	D 9 mm	F
L2 H1 / H2 ^{P1}	F22 SFDU20G1A01S	F22 WFDUWBT1A01S
L3 H2 / H3 ^{P1}	F22 SFDU30G1A01S	F22 WFDUWBT1A01S
L3L H2 / H3 ^{P1}	F22 SFDU3LG1A01S	F22 WFDUWBT1A01S

^{P1} right side door

L2 H1 / H2 ^{P1}




L3 H2 / H3 ^{P1}



L3L H2 / H3 ^{P1}



BULKHEAD
PANEL



Silicone adhesive
for vehicle flooring
F22**VTV225850008**



Each row of fixing points is equipped with 6 medium "Airline" anchoring points and 19 fixing points for medium "Airline" bars.

SAFETY FLOOR ACCESSORIES

LOAD SECURING

1



Telescopic load securing bar with medium "Airline" fixing joint

F22**FCV221490000** H=650-900 mm
F22**FCV227340000** H=850-1100 mm
F22**FCV227350000** H=1050-1300 mm
F22**FCV221310000** H=1250-1750 mm
F22**FCV220170000** H=1550-2050 mm
F22**FCV220860000** H=2000-2500 mm

2



Horizontal load securing bar with medium "Airline" fixing joint

F22**FCV180290500** L=500 mm
F22**FCV180291000** L=1000 mm
F22**FCV180291500** L=1500 mm
F22**FCV180292000** L=2000 mm
F22**FCV180292500** L=2500 mm

3



Horizontal load securing bar with medium "Airline" fixing joint

F22**FCV180250500** L=500 mm
F22**FCV180251000** L=1000 mm
F22**FCV180251500** L=1500 mm
F22**FCV180252000** L=2000 mm

4



Horizontal load securing bar with medium "Airline" fixing joint

F22**FCV180301000** L=1000 mm
F22**FCV180301500** L=1500 mm
F22**FCV180302000** L=2000 mm
F22**FCV180302500** L=2500 mm
F22**FCV180303000** L=3000 mm

5



Plastic end cap for load securing bar series FCV18029

F22**FCV221060000**

6



Plastic end cap for load securing bar series FCV18025

F22**FCV233890000**

7



Load securing ring with medium "Airline" fixing point

F22**FCV225820000**

8



Load securing strap with clamp and medium "Airline" anchoring point

F22**FCV221360000** L=2500+500 mm

9



Load securing strap with ratchet and medium "Airline" anchoring point

F22**FCV221240000** L=2500+500 mm

10




Load securing strap with ratchet and standard fixing point

F22**FCV221480000** L=4500+500 mm



Example of case for load securing


1x F22**SBBOX0800001** Store Box plastic case W=440 D=350 H=80 mm
1x F22**SBCPV0800001** BOX080 case retaining strap
1x F22**SBYELLOW6305** Store Box yellow plastic bin
4x F22**FCV225820000** Load securing ring with medium "Airline" anchoring point
2x F22**FCV221360000** Load strap with clamp and "Airline" point L=2500+500 mm
2x F22**FCV221240000** Load strap with ratchet and "Airline" point L=2500+500 mm
2x F22**FCV221480000** Load strap with ratchet and standard point L=4500+500 mm



**LOAD SECURING:
WHEN EVERY DETAIL MAKES THE DIFFERENCE**



ALUMINIUM FLOOR



D 9 mm wooden floor with a 2 mm diamond aluminium covering and cut-outs for the vehicle's original anchoring points.

SCUDO

Vehicle	D marine-grade plywood floor	D diamond aluminium covering
L2 H1 ^{P1}	F22 AFEX20B1A 000	F22 AFEX20A1A 000
L2L H1 ^{P1}	F22 AFEX2LB1A 000	F22 AFEX2LA1A 000

^{P1} right side door

L2 H1 ^{P1}



L2L H1 ^{P1}





DUCATO

Vehicle	D marine-grade plywood floor	D diamond aluminium covering
L2 H1 / H2 ^{P1}	F22AFDU20B1A000	F22AFDU20A1A000
L3 H2 / H3 ^{P1}	F22AFDU30B1A000	F22AFDU30A1A000
L3L H2 / H3 ^{P1}	F22AFDU3LB1A000	F22AFDU3LA1A000

^{P1} right side door

L2 H1 / H2 ^{P1}



L3 H2 / H3 ^{P1}



L3L H2 / H3 ^{P1}







ROOF SYSTEM

CERTIFICATIONS

CERTIFIED PRODUCTION

- **CE marking:** complies with European product safety principles.
- **GS TÜV SÜD certification mark:** certification achieved after successfully passing stringent static, dynamic and durability tests, as well as crash tests in accordance with DIN 75302:2019.
- **ECE R26 approval:** certifies that the dimensions and shapes of the roof system are designed to reduce the risk or severity of injury in the event of impact, ensuring safer roof racks and load carrying solutions.
- **ECE R17 approval:** sled deceleration tested to simulate a 20 G frontal impact in compliance with ECE R17.





ROOF BARS

Thanks to the shape of the end retaining fins, the **roof bars** can be transformed into a **practical mini roof rack**. Their design allows even bulky loads to be supported and secured safely, ensuring **stability** and **transport safety**.



ROOF BARS WITH FIXED LADDER RACK

Within the **fixed ladder rack system**, the roof bars incorporate a **practical foldable** ladder **stop with securing strap**, designed to keep the ladder firmly and safely in place during transport. The system is completed by **foldable end fins** fitted to each roof bar, providing proper support and preventing any accidental movement, even under demanding driving conditions.



ROOF RACK

In the **roof rack system**, the roof bars are complemented by two **aluminium side barriers** and a **rear roller**, also manufactured from aluminium. The side barriers are specifically designed to incorporate a transparent plastic profile for housing an optional **LED strip**, providing effective illumination around the vehicle. Particular attention has been paid to the design of the rear roller and its integrated sliding mechanism, housed within the plastic end cap of the side barrier.



LADDER RACK

The Store Van **ladder rack system** for vans integrates **roof bars**, an **aluminium side barrier**, a **rear roller** and a **ladder slide** with **assisted lifting** and **lowering** and a load capacity of up to 60 kg. At the heart of the system is the **pantograph mechanism**, which allows the ladder to be lowered safely to ground level, even on high-roof vans, improving accessibility and ergonomics for the operator. **Ladder handling** is made even **safer** thanks to the combined action of a hydraulic brake and gas struts, which provide **controlled lowering** and **assisted lifting** with **minimal effort**.



ROOF BARS



The following items are available for vehicles with **rear hinged doors**.



ACCESSORIES



Pair of end caps for Space Up roof bar
F22**UP0700100007**



Central right-hand light fin for Space Up roof bar
F22**UP0700600007**
W=133 D=53 H=64 mm



Central left-hand light fin for Space Up roof bar
F22**UP0700700007**
W=133 D=53 H=64 mm



Roller fixing kit for Space Up roof bar
F22**UP07018000ZZ**



Warning light support kit* for Space Up roof bar
F22**UP0701700007**
W=200 D=161 mm



Flat emergency warning light with rotating LED light 12/24 V
F22**CME080520000**



Flat emergency warning light with rotating LED light 12/24 V and 12 V socket
F22**CME080530000**



Space Up roof rack roller
F22**UP0606100000** W= 615 mm
for Doblò / Scudo
F22**UP0607800000** W= 780 mm
for Doblò / Scudo
F22**UP0609500000** W= 950 mm
for Doblò / Scudo



Anchoring strap with self-locking buckle
F22**CMV235750000** L=1000 H=25 mm
F22**CMV9702000000** L=1200 H=35 mm



Aluminium transport tube
F22**UP0707400000** L= 2300 mm
for Doblò / Scudo
F22**UP0707500000** L= 3300 mm
for Ducato



Space Up spoiler
F22**UP0508500007** W= 850 mm
for Doblò / Scudo / Ducato
F22**UP0509500007** W= 950 mm
for Doblò / Scudo / Ducato
F22**UP0511000007** W= 1100 mm
for Scudo / Ducato

* Warning light not included



Store Van **roof bars** are supplied as standard with: **anti-slip rubber profile**, two 1200 mm **load securing straps**, cataphoretic-coated **stainless steel mounting brackets**, and **end fins** for the roof bar.

DOBLÒ

Vehicle	ART.	W mm	D mm
L1 H1	F22UPPA10H1B100	1366	1490

Vehicle	ART.	W mm	D mm
L2 H1	F22UPPA20H1B100	1366	1835

SCUDO

Vehicle	ART.	W mm	D mm
L2 H1	F22UPEX20H1B100	1466	1555

Vehicle	ART.	W mm	D mm
L2L H1	F22UPEX2LH1B100	1466	1900

DUCATO


Vehicle	ART.	W mm	D mm
L2 H1	F22UPDU20H1B100	1766	2625
L2 H2	F22UPDU20H2B100	1766	2625

Vehicle	ART.	W mm	D mm
L3 H2	F22UPDU30H2B100	1666	3195

ROOF BARS WITH FIXED LADDER RACK



The following items are available for vehicles with **rear hinged doors**.



ACCESSORIES



Central left-hand light fin for Space Up roof bar
F22**UP07007000**07
W=133 D=53 H=64 mm



Roller fixing kit for Space Up roof bar
F22**UP07018000**ZZ



Space Up roof rack roller
F22**UP06061000**00 W= 615 mm
for Doblò / Scudo
F22**UP06078000**00 W= 780 mm
for Doblò / Scudo
F22**UP06095000**00 W= 950 mm
for Doblò / Scudo



Anchoring strap with self-locking buckle
F22**CMV23575000**00
L=1000 H=25 mm
F22**CMV97020000**00
L=1200 H=35 mm



Aluminium transport tube
F22**UP07074000**00 L= 2300 mm
for Doblò / Scudo
F22**UP07075000**00 L= 3300 mm
for Ducato



Space Up spoiler
F22**UP05085000**07 W= 850 mm
for Doblò / Scudo / Ducato
F22**UP05095000**07 W= 950 mm
for Doblò / Scudo / Ducato
F22**UP05110000**07 W= 1100 mm
for Scudo / Ducato



Store Van **roof racks with fixed ladder holder** are supplied as standard with: anti-slip rubber **profile**, two 1200 mm **load securing straps**, cataphoretic-coated stainless steel mounting **brackets**, roof bar **end fins**, right-hand central **light fin**, and **foldable light arch**.

DOBLÒ

Vehicle	ART.	W mm	D mm
L1 H1	F22UPPA10H1B200	1366	1490

Vehicle	ART.	W mm	D mm
L2 H1	F22UPPA20H1B200	1366	1835

SCUDO

Vehicle	ART.	W mm	D mm
L2 H1	F22UPEX20H1B200	1466	1555

Vehicle	ART.	W mm	D mm
L2L H1	F22UPEX2LH1B200	1466	1900

FOLDABLE LIGHT ARCH FOR LADDER SECURING



ROOF RACK



The following items are available for vehicles with **rear hinged doors**.



ACCESSORIES



Pair of stops for
Space Up roof bar

F22**UP0701000007**
W=70 D=33 H=90 mm



Kit warning light mounting bracket for
Space Up side barrier*

F22**UP0708200007**
W=200 D=161 mm



Flat emergency warning light with rotating
LED light 12/24 V

F22**CME080520000**



Flat emergency warning light with rotating
LED light 12/24 V and 12 V socket

F22**CME080530000**



Additional bar

F22**UPPA10H1B007** W= 1360 mm
for Doblò

F22**UPEX20H1B007** W= 1460 mm
for Scudo

F22**UPDUL2H1B007** W= 1760 mm
for Ducato L2H1

F22**UPDUL2H2B007** W= 1660 mm
for Ducato L2H2 / L3H2



Aluminium transport tube

F22**UP0707400000** L= 2300 mm
for Doblò / Scudo

F22**UP0707500000** L= 3300 mm
for Ducato



Space Up spoiler

F22**UP0508500007** W= 850 mm
for Doblò / Scudo / Ducato

F22**UP0509500007** W= 950 mm
for Doblò / Scudo / Ducato

F22**UP0511000007** W= 1100 mm
for Scudo / Ducato



Anchoring strap with
self-locking buckle

F22**CMV235750000**
L=1000 H=25 mm

F22**CMV970200000**
L=1200 H=35 mm

* Warning light not included



Store Van **roof rack** is supplied as standard with: anti-slip rubber **profile**, cataphoretic-coated stainless steel mounting **brackets**, aluminium side **barrier** with plastic end caps, and aluminium **roller**.

DOBLÒ

Vehicle	ART.	W mm	D mm
L1 H1	F22UPPA10H1R100	1396	2505

Vehicle	ART.	W mm	D mm
L2 H1	F22UPPA20H1R100	1396	2755

SCUDO

Vehicle	ART.	W mm	D mm
L2 H1	F22UPEX20H1R100	1496	2505

Vehicle	ART.	W mm	D mm
L2L H1	F22UPEX2LH1R100	1496	2755

DUCATO

Vehicle	ART.	W mm	D mm
L2 H1	F22UPDU20H1R100	1796	2505
L2 H2	F22UPDU20H2R100	1696	2505

Vehicle	ART.	W mm	D mm
L3 H2	F22UPDU30H2R100	1696	3755

LADDER RACK



The following items are available for vehicles with **rear hinged doors**.



ACCESSORIES



Pair of stops for Space Up roof bar

F22**UP0701000007**
W=70 D=33 H=90 mm



Ladder locking fixed arch for Space Up slide

F22**UP0703000007**



Ladder locking collapsible arch for Space Up slide

F22**UP0703100007**



Gas spring kit for Space Up slide

F22**UP0703400000** 30 daN
F22**UP0703500000** 60 daN



Aluminium transport tube

F22**UP0707400000** L= 2300 mm
for Doblò / Scudo
F22**UP0707500000** L= 3300 mm
for Ducato

Space Up spoiler

F22**UP0508500007** W= 850 mm
for Doblò / Scudo / Ducato
F22**UP0509500007** W= 950 mm
for Doblò / Scudo / Ducato
F22**UP0511000007** W= 1100 mm
for Scudo / Ducato



Additional bar

F22**UPPA10H1B007** W= 1360 mm for Doblò
F22**UPDUL2H1B007** W= 1760 mm for Ducato L2H1
F22**UPPEX20H1B007** W= 1460 mm for Scudo
F22**UPDUL2H2B007** W= 1660 mm for Ducato L2H2 / L3H2



Anchoring strap with self-locking buckle

F22**CMV235750000** L=1000 H=25 mm
F22**CMV970200000** L=1200 H=35 mm



Store Van **ladder rack** is supplied as standard with: cataphoretic-coated stainless steel mounting **brackets**, aluminium side **barrier** with plastic end caps, an **aluminium sliding roller**, two **gas struts** and a **hydraulic brake**, a safety **locking system**, and a **ladder locking arch** with load securing strap.

DOBLÒ

Vehicle	ART.	W mm	D mm
L1 H1	F22UPPA10H1L100	1378	2505

Vehicle	ART.	W mm	D mm
L2 H1	F22UPPA20H1L100	1378	2755

SCUDO

Vehicle	ART.	W mm	D mm
L2 H1	F22UPEX20H1L100	1478	2505

Vehicle	ART.	W mm	D mm
L2L H1	F22UPEX2LH1L100	1478	2755

DUCATO

Vehicle	ART.	W mm	D mm
L2 H1	F22UPDU20H1L100	1778	3505
L2 H2	F22UPDU20H2L100	1678	3505

Vehicle	ART.	W mm	D mm
L3 H2	F22UPDU30H2L100	1678	3755



1

EXTENSION

2

**LADDER
LOCK
RELEASE**



SAFETY AND FUNCTIONALITY ON THE ROOF

The **operation** is made even safer by the combined action of a hydraulic brake and gas struts, which ensure **controlled lowering** and **assisted lifting with minimal effort**.

The slide locking and unlocking system is equipped with a **mechanical closure indicator**, designed to prevent accidental release during driving and increase the overall reliability of the ladder rack.



3

**CONTROLLED
LOWERING**

4

**EASY
ACCESS**





VAN RACKING SOLUTIONS

From page 48, you will find a selection of van racking examples organised by industry, vehicle model and vehicle size. A guide designed to help you identify the most efficient solution tailored to your operational requirements.

CERTIFICATIONS

CERTIFIED PRODUCTION

- **GS TÜV SÜD mark:** the module anchoring system has successfully passed strict static, dynamic, durability and crash tests in accordance with DIN 75302:2019.
- **ECE R17 approval:** verification of the module anchoring system through a frontal impact simulation equal to 20G.




FLEXIBILITY AND DURABILITY OF STORE VAN VAN SHELVING

Store Van uses a **rail-mounted fixing system** that allows **shelving** units to be configured with **great flexibility**: the brackets slide along the rail, eliminating the rigidity of the van racking fixed directly to the chassis and enabling **quick** and **precise** module **adjustments**.

The rail is fixed to the vertical uprights, evenly distributing the dynamic forces generated while driving and increasing the **structural efficiency** of the entire system.

The brackets with shock-absorbing joints reduce chassis vibrations and torsional stress, improving the **stability** and **durability** of the **van shelving**, while the quick-release system allows modules to be removed without tools and complies with DIRECTIVE 2014/47/EU.





TRADESPEOPLE AND PROFESSIONALS

Solutions designed for electricians, plumbers, service technicians, builders, carpenters and drywall installers, available in three pre-assembled configurations to meet different needs and budgets:

START: essential configuration, ideal for those seeking a professional van racking with budget in mind.

MEDIUM: balanced solution, designed for those requiring precise and functional space organisation.

PRO: evolution of the Medium configuration, enhanced with high-capacity drawers and pull-out case holders to maximise efficiency and productivity.



SERVICE AND MOBILE WORKSHOP

Van shelving for mechanics and service technicians, supplied pre-assembled and complete with technical solutions such as compressors and electrical systems, ideal for the use of electric and pneumatic tools on board.



LOAD SECURING

Van racking configurations dedicated to professionals who need to transport bulky items in complete safety and with optimal load securing.



EXPRESS COURIER

Van shelving solutions for parcel transport dedicated to last-mile delivery, with Light Shelf foldable van shelves that improve organisation, delivery speed and load safety.



SWITCH & MIX



ALUMINIUM

The power of lightness and sustainability

Store Van shelving systems can be configured entirely with **anodized aluminium extrusions** and **aluminium sheet coated by cataphoretic dip painting in RAL 7000 colour**. The fitting can be completed with folding doors, medium "Airline" profiles for load securing and safety, pipe-carrying upper trays and other **van accessories**.

The **modular design** of the aluminium components allows **interchangeability** with equivalent **steel** elements, making it possible to reinforce areas subject to higher stress.

This exclusive system ensures the best balance between **lightness, strength** and **cost-effectiveness**.



STEEL

Unmatched strength and durability

Store Van racking systems can be manufactured entirely from **galvanized steel**, finished with RAL 7000 **cataphoretic dip coating**, ensuring outstanding corrosion resistance and long-lasting durability.

The van shelving can be **integrated** with **accessories** and **components** made from **anodized aluminium extrusions**, such as fold-down doors, medium "Airline" profiles and upper trays, designed for the safe transport of long materials.

Thanks to the **modular structure**, components can be easily **interchanged**: in areas subject to lower mechanical stress, steel elements can be replaced with **equivalent aluminium** components, creating a van racking that combines **strength, lightness** and **cost-effectiveness**.



TRADESPEOPLE AND PROFESSIONALS

VAN RACKING



FRAME FRONT

Steel or aluminium side panels for shelving, the structural foundation of every van racking system.



CASE EASY

Fixed case holder: robust guide rails, secure case storage and compatibility with Store Box cases. Ideal for professional van racking systems.





choose between
ALUMINIUM
and **STEEL**



MULTIFRAME
Modular and configurable shelves available in different sizes, robust and fully configurable with accessories, designed to organise tools, equipment and small parts inside your van.



WORK PLUS
Adjustable tilting vice workbench for vans, engineered for strength, safety and ease of use. Features a hydraulic brake and supports for vices with 100–125 mm jaws.

TRADESPEOPLE AND PROFESSIONALS

VAN RACKING

DRAWER S5 STEEL DRAWERS

Full-extension van drawers with a load capacity of 50 kg, featuring a drawer locking system in both open and closed positions.



DRAWER S6 ALUMINIUM DRAWERS

Full-extension aluminium drawers for vans with a load capacity of 50 kg, featuring a drawer locking system in both open and closed positions. The front panel is made of aluminium extrusion with a full-width handle.



CASE PLUS

Pull-out case holder: a sliding tray with safety lock, ideal for small parts organisers in professional vans.





choose between
ALUMINIUM
and **STEEL**



EQUIPPED BULKHEAD FOR VANS

Designed to protect the vehicle bodywork, maximise load area organisation and keep accessories, tools and equipment secure during transport.



STORAGE PLUS

Steel or aluminium storage trays, compatible with dividers, anti-slip mats and doors for efficient load organisation.

TRADESPEOPLE AND PROFESSIONALS

VAN RACKING



CASE PLUS

Pull-out case holder: a sliding tray with safety lock, ideal for small parts organisers in professional vans.



DOOR PLUS

The drop-down door for van shelving systems, designed to maximise space and double the storage capacity of your mobile workshop.





choose between
ALUMINIUM
and **STEEL**



DOOR SMALL

100 mm high drop-down door for creating closed storage compartments and maximising the available storage capacity of your van racking system.



ALU FRAME

Aluminium bars with medium "Airline" system, designed for Multiframe shelves and Door doors to ensure safe and secure load restraint in professional vans.

SERVICE AND MOBILE WORKSHOP VAN RACKING



STORAGE UP

Upper trays: fixed or telescopic solutions for storing long materials in vans, offering strength, practicality and maximum safety during transit.



LOCKER EASY

Steel cabinet module with hinged doors for van racking, ideal for the organisation and protection of equipment and workwear.



FRAME EASY

Case holder with adjustable retaining strap, designed to secure tool cases safely inside your van.





choose between
ALUMINIUM
and **STEEL**



VISUAL BOX

Modular small parts drawer unit with high-strength transparent drawers.



WORK LOOK

Perforated tool-holding panels: versatile, durable and fully configurable solutions for professional van racking systems.



WORK WOOD

Laminated beech worktop, ideal for transforming van racking into fully functional workbenches.

LOAD SECURING VAN SOLUTION



LOAD SECURING BARS


Custom-made load securing bars with medium "Airline" holes to ensure perfect load restraint and suitable for every type of application.

WHEEL ARCH BOXES

Side frames: made of 12/10 automotive galvanised steel.

Front cover: made of 12/10 automotive galvanised steel or 9 mm engineered birch wood with grey phenolic coating.

Top tray: can be covered with a non-slip mat.





TELESCOPIC LOAD RESTRAINING BAR

Impact-resistant rubber-coated bars available in 3 different heights.



WALL PANELS

Interior wall panels made from 4 mm honeycomb polypropylene sheets. Lightweight and durable.



FLOORING

Where possible, provision of the van flooring with recessed polypropylene eyelet fasteners, screws and washers for attachment to the vehicle's original mounting points. Additional securing of the wooden Safety Floor with silicone adhesive.

EXPRESS COURIER VAN RACKING



FOLDABLE SHELF DIVIDERS

Longitudinal and curved dividers for protecting and organising transported materials.



TRAVERSES

Traverses with medium "Airline" anchoring system for securing straps and telescopic bars.





OPENING SYSTEM

The foldable shelves are equipped with a system that allows full or partial opening and closing, making it easier to manage the available space inside the cargo area.



UPRIGHTS

Uprights with 38 mm pitch perforations for mounting height-adjustable foldable shelves.

«FLOOR UP» FOR COMPACT VANS VAN SYSTEM



UPPER FLOORING

It consists of a marine-grade birch plywood floor with medium "Airline" anchoring points rated for a pull force of 200 daN.



DIVIDERS

Adjustable transverse and longitudinal aluminium dividers for drawers with heights of 100 mm and 200 mm.





DOOR PLUS

The drop-down door for van shelving systems, designed to maximise space and double the storage capacity of your mobile workshop.



DRAWER S8 ALUMINIUM DRAWERS

Full-extension aluminium drawers for vans with a load capacity of 80 kg, featuring a drawer locking system in the open position. The front panel is made of aluminium extrusion with a full-width handle.

DOBLÒ

L1 H1




2022



3,3 m³

VAN RACKING EXAMPLES

The following items are van racking examples for vehicles with a **right side door** and **sheet metal side panels**.




volume



wheelbase



year



Example

W=1225 D=365 H=1050 mm

PA1210S1

Steel

PA1210A1

Aluminium



Example

W=717 D=365 H=1050 mm

PA0710S1

Steel

PA0710A1

Aluminium



CONFIGURABLE
SOLUTIONS




FIXING KIT
INCLUDED



STEEL



ALUMINIUM




Example

W=1225 D=365 H=1050 mm

PA1210S2 Steel

PA1210A2 Aluminium




Example

W=717 D=365 H=1050 mm

PA0710S2 Steel

PA0710A2 Aluminium




Example

W=1225 D=365 H=1050 mm

PA1210S3 Steel

PA1210A3 Aluminium




Example

W=717 D=365 H=1050 mm

PA0710S3 Steel


PA0710A3 Aluminium



Example

W=1688 D=1435 H=270 mm

PA0012S8 Steel



Example

W=1688 D=1435 H=270 mm

PA0013S8 Steel

DOBLÒ

L1 H1

3,3 m³ 2785 mm 2022

TRADESPEOPLE AND PROFESSIONALS



Complete van racking
example

PA0001S1	Steel
PA0001A1	Aluminium




TRADESPEOPLE AND PROFESSIONALS



Complete van racking
example

PA0001S2	Steel
PA0001A2	Aluminium





TRADESPEOPLE AND PROFESSIONALS



Complete van racking
example

PA0001S3	Steel
PA0001A3	Aluminium





MOBILE WORKSHOP


Complete van racking
example

PA0001S4

Steel

PA0001A4

Aluminium



FLOOR UP


Complete van racking
example

PA0014S8

Steel

PA0014A8

Aluminium



FLOOR UP

Complete van racking
example

PA0011S8

Steel

PA0011A8

Aluminium

DOBLÒ

L2 H1




2022



3,9 m³

VAN RACKING EXAMPLES

The following items are van racking examples for vehicles with a **right side door** and **sheet metal side panels**.




volume



wheelbase



year



Example

W=1524 D=365 H=1050 mm

PA1510S1

Steel

PA1510A1

Aluminium



Example

W=1016 D=365 H=1050 mm

PA1010S1

Steel

PA1010A1

Aluminium



CONFIGURABLE
SOLUTIONS





FIXING KIT
INCLUDED



STEEL



ALUMINIUM



Example

W=1524 D=365 H=1050 mm

PA1510S2 Steel

PA1510A2 Aluminium





Example

W=1016 D=365 H=1050 mm

PA1010S2 Steel

PA1010A2 Aluminium



Example

W=1524 D=365 H=1050 mm

PA1510S3 Steel

PA1510A3 Aluminium





Example

W=1016 D=365 H=1050 mm

PA1010S3 Steel

PA1010A3 Aluminium



Example

W=2045 D=1435 H=270 mm

PA0022S8 Steel



Example

W=2045 D=1435 H=270 mm

PA0023S8 Steel

DOBLÒ

L2 H1


3,9 m³ 2975 mm 2022

TRADESPEOPLE AND PROFESSIONALS



Complete van racking
example

PA0002S1	Steel
PA0002A1	Aluminium




TRADESPEOPLE AND PROFESSIONALS



Complete van racking
example

PA0002S2	Steel
PA0002A2	Aluminium




TRADESPEOPLE AND PROFESSIONALS



Complete van racking
example

PA0002S3	Steel
PA0002A3	Aluminium





MOBILE WORKSHOP


Complete van racking
example

PA0002S4

Steel

PA0002A4

Aluminium



FLOOR UP


Complete van racking
example

PA0024S8

Steel

PA0024A8

Aluminium



FLOOR UP

Complete van racking
example

PA0021S8

Steel

PA0021A8

Aluminium

SCUDO


L2 H1

2022



5,3 m³

VAN RACKING EXAMPLES

The following items are van racking examples for vehicles with a **right side door** and **sheet metal side panels**.



- volume
- wheelbase
- year



Example

W=1016 D=365 H=1200 mm

EX1012S1 Steel

EX1012A1 Aluminium



Example

W=1016 D=365 H=1200 mm

EX1012S2 Steel

EX1012A2 Aluminium



CONFIGURABLE
SOLUTIONS




FIXING KIT
INCLUDED



STEEL



ALUMINIUM




Example

W=1942 D=365 H=1200 mm

EX1912S1 Steel

EX1912A1 Aluminium




Example

W=1016 D=365 H=1200 mm

EX1012S3 Steel

EX1012A3 Aluminium



Example

W=1942 D=365 H=1200 mm

EX1912S2 Steel

EX1912A2 Aluminium




Example

W=1016 D=365 H=1200 mm

EX1012S4 Steel

EX1012A4 Aluminium



Example

W=1942 D=365 H=1200 mm

EX1912S3 Steel

EX1912A3 Aluminium



Example

W=1016 D=365 H=1200 mm

EX1012S5 Steel

EX1012A5 Aluminium

SCUDO

L2 H1


5,3 m³ 3277 mm 2022

TRADESPEOPLE AND PROFESSIONALS




Complete van racking
example

EX0001S1	Steel
EX0001A1	Aluminium




Complete van racking
example



EX0001S2	Steel
EX0001A2	Aluminium





Complete van racking
example

EX0001S3	Steel
EX0001A3	Aluminium







START




MEDIUM



PRO

SCUDO L2 H1


5,3 m³ 3277 mm 2022



MOBILE WORKSHOP

Complete van racking
example



EX0001S4	Steel
EX0001A4	Aluminium



LOAD SECURING

Complete van racking
example

EX0001S5	Steel
EX0001A5	Aluminium



SCUDO

L2L H1




2022



6,1 m³

VAN RACKING EXAMPLES

The following items are van racking examples for vehicles with a **right side door** and **sheet metal side panels**.





volume



wheelbase



year



Example

W=1016 D=365 H=1200 mm

EX1012S1

Steel

EX1012A1

Aluminium



Example

W=1016 D=365 H=1200 mm

EX1012S2

Steel

EX1012A2

Aluminium



CONFIGURABLE
SOLUTIONS




FIXING KIT
INCLUDED



STEEL



ALUMINIUM




Example

W=2241 D=365 H=1200 mm

EX2212S1 Steel

EX2212A1 Aluminium




Example

W=1225 D=365 H=1200 mm

EX1212S1 Steel

EX1212A1 Aluminium




Example

W=2241 D=365 H=1200 mm

EX2212S2 Steel

EX2212A2 Aluminium




Example

W=1225 D=365 H=1200 mm

EX1212S2 Steel

EX1212A2 Aluminium




Example

W=2241 D=365 H=1200 mm

EX2212S3 Steel

EX2212A3 Aluminium



Example

W=1225 D=365 H=1200 mm

EX1212S3 Steel

EX1212A3 Aluminium

SCUDO

L2L H1


6,1 m³ 3277 mm 2022

TRADESPEOPLE AND PROFESSIONALS




Complete van racking
example

EX0002S1	Steel
EX0002A1	Aluminium




Complete van racking
example



EX0002S2	Steel
EX0002A2	Aluminium





Complete van racking
example

EX0002S3	Steel
EX0002A3	Aluminium







START




MEDIUM



PRO

SCUDO L2L H1


6,1 m³ 3277 mm 2022



MOBILE WORKSHOP

Complete van racking
example

EX0002S4	Steel
EX0002A4	Aluminium





LOAD SECURING

Complete van racking
example

EX0002S5	Steel
EX0002A5	Aluminium





DUCATO

L2 H1






2014



10 m³

VAN RACKING EXAMPLES

The following items are van racking examples for vehicles with a **right side door** and **sheet metal side panels**.





volume



wheelbase



year



Example

W=1225 D=365 H=1400 mm

DU1214S1

Steel

DU1214A1

Aluminium



Example

W=1225 D=365 H=1400 mm

DU1214S2

Steel

DU1214A2

Aluminium



CONFIGURABLE
SOLUTIONS




FIXING KIT
INCLUDED



STEEL



ALUMINIUM




Example

W=2450 D=365 H=1400 mm

DU2414S1 Steel

DU2414A1 Aluminium




Example

W=1225 D=365 H=1400 mm

DU1214S3 Steel

DU1214A3 Aluminium




Example

W=2450 D=365 H=1400 mm

DU2414S2 Steel

DU2414A2 Aluminium




Example

W=1225 D=365 H=1400 mm

DU1214S4 Steel

DU1214A4 Aluminium




Example

W=2450 D=365 H=1400 mm

DU2414S3 Steel

DU2414A3 Aluminium



Example

W=1225 D=365 H=1400 mm

DU1214S5 Steel

DU1214A5 Aluminium

DUCATO

L2 H1

10 m³ 3450 mm 2014

TRADESPEOPLE AND PROFESSIONALS



Complete van racking
example

DU0001S1	Steel
DU0001A1	Aluminium



Complete van racking
example



DU0001S2	Steel
DU0001A2	Aluminium




Complete van racking
example

DU0001S3	Steel
DU0001A3	Aluminium







START



MEDIUM



PRO

DUCATO

L2 H1


10 m³ 3450 mm 2014



MOBILE WORKSHOP

Complete van racking
example

DU0001S4	Steel
DU0001A4	Aluminium



LOAD SECURING

Complete van racking
example

DU0001S5	Steel
DU0001A5	Aluminium





DUCATO

L2 H2






2014





11,5 m³

VAN RACKING EXAMPLES

The following items are van racking examples for vehicles with a **right side door** and **sheet metal side panels**.



-  volume
-  wheelbase
-  year



Example

W=2450 D=365 H=1750 mm

DU2417S1

Steel

DU2417A1

Aluminium



Example

W=1225 D=365 H=1750 mm

DU1217S1

Steel

DU1217A1

Aluminium



CONFIGURABLE
SOLUTIONS




FIXING KIT
INCLUDED



STEEL



ALUMINIUM




Example

W=2450 D=365 H=1750 mm

DU2417S2 Steel

DU2417A2 Aluminium




Example

W=1225 D=365 H=1750 mm

DU1217S2 Steel

DU1217A2 Aluminium




Example

W=2450 D=365 H=1690 mm

DU2417S3 Steel

DU2417A3 Aluminium




Example

W=1225 D=365 H=1750 mm

DU1217S3 Steel


DU1217A3 Aluminium



Example

W=1016 D=20 H=1475 mm

DU1015S1 Steel



Example

W=1225 D=445 H=1725 mm

DU1217SB Steel

DU1217AB Aluminium

DUCATO

L2 H2

11,5 m³ 3450 mm 2014

TRADESPEOPLE AND PROFESSIONALS



Complete van racking
example

DU0002S1	Steel
DU0002A1	Aluminium



Complete van racking
example

DU0002S2	Steel
DU0002A2	Aluminium



Complete van racking
example

DU0002S3	Steel
DU0002A3	Aluminium






START



MEDIUM



PRO

DUCATO

L2 H2

11,5 m³ 3450 mm 2014

MOBILE WORKSHOP

Complete van racking
example

DU0002S4	Steel
DU0002A4	Aluminium



LOAD SECURING

Complete van racking
example


DU0002S5	Steel
DU0002A5	Aluminium






EXPRESS COURIER

Complete van racking
example

DU0002S6	Steel
DU0002A6	Aluminium





DUCATO

L3 H2




2014




13 m³

VAN RACKING EXAMPLES

The following items are van racking examples for vehicles with a **right side door** and **sheet metal side panels**.



- volume
- wheelbase
- year



Example

W=1524 D=365 H=1750 mm

DU1517S1 Steel

DU1517A1 Aluminium



Example

W=1733 D=365 H=1750 mm

DU1717S1 Steel

DU1717A1 Aluminium



CONFIGURABLE
SOLUTIONS




FIXING KIT
INCLUDED



STEEL



ALUMINIUM




Example

W=3048 D=365 H=1750 mm

DU3017S2 Steel

DU3017A2 Aluminium




Example

W=1733 D=365 H=1750 mm

DU1717S2 Steel

DU1717A2 Aluminium




Example

W=3048 D=365 H=1690 mm

DU3017S3 Steel

DU3017A3 Aluminium




Example

W=1733 D=365 H=1750 mm

DU1717S3 Steel


DU1717A3 Aluminium



Example

W=1016 D=20 H=1475 mm

DU1015S1 Steel



Example

W=1733 D=445 H=1750 mm

DU1717SB Steel

DU1717AB Aluminium

DUCATO

L3 H2

13 m³ 4035 mm 2014

TRADESPEOPLE AND PROFESSIONALS




Complete van racking
example

DU0003S1	Steel
DU0003A1	Aluminium




Complete van racking
example



DU0003S2	Steel
DU0003A2	Aluminium





Complete van racking
example

DU0003S3	Steel
DU0003A3	Aluminium







START



MEDIUM




PRO

DUCATO

L3 H2

13 m³ 4035 mm 2014



MOBILE WORKSHOP


Complete van racking
example

DU0003S4	Steel
DU0003A4	Aluminium

LOAD SECURING

Complete van racking
example


DU0003S5	Steel
DU0003A5	Aluminium







EXPRESS COURIER

Complete van racking
example

DU0003S6	Steel
DU0003A6	Aluminium







ACCESSORIES FOR VANS



Roll holder kit with paper roll Ø 130 mm
D= 245 H=150 mm
F22KTPAP2650001



Roll holder kit with paper roll Ø 240 mm
D= 285 H=200 mm
F22KTPAP3650001



First aid kit
W=90 D=256 H=190 mm
F22KTAID2650200 Italy DM388
F22KTAID2650001 Europe DIN13157



Cable holder saddle
W=95 D=220 H=101 mm
F22KTCAB2200001




Cable holder saddle kit
W=135 D=296 H=130 mm
F22KTCAB2960001



Document holder
W=362 D=68 H=209 mm
F22KTD0C3650001



Hand cleaning wipes dispenser
F22KTWAS0000000



Dispenser holder kit
F22KTREC3650001



BOX080 case holder kit
F22KTVAL3650001



Glove dispenser
W=247 D=82 H=132 mm
F22KTGLV0000001



Reversible sanitiser bottle holder
W=114 D=100 H=62 mm
F22KTDIS0000001



Spray can holder
W=75 D=365 H=150 mm
F22KTSR3650001


ACCESSORIES FOR VANS



Spray can holder kit
W=161 D=82 H=100 mm
F22KTSPR1600001



Silicone cartridge and spray can holder kit
W=296 D=135 H=144 mm
F22KTSIL2960001



Threaded bar / silicone cartridge holder kit
W=296 D=135 H=156 mm

A F22KTBAR2960001

Kit of 5 tubes for threaded bar holder
W=485

B F22KTBAR2960101



Threaded bar / silicone cartridge holder kit
W=296 D=135 H=156 mm

A F22KTBAR2960001

Silicone cartridge adapter
W=296 D=120 mm

C F22KTBAR2960201



Anti-slip mat holder
W=158 D=50 H=171 mm
F22KTRUB1600001

Set of 6 anti-slip mats
W=150 D=150 H=3 mm
F22KTRUB0000007



Kit of 10 magnets Ø 20 mm
complete with clips and screws
F22KTMAG0200000

Kit of 10 magnets Ø 25 mm
complete with clips and screws
F22KTMAG0250000



Waste bin, 25 L capacity
W=362 D=221 H=370 mm
F22KTBIN0000001



Hand washing kit
W=370 D=180 H=370 mm
F22KTWAS3650V01



Iron jerry can, 20 L capacity
W=170 D=350 H=470 mm
D F22KTOIL20L0000

Jerry can holder
W=175 D=355 H=250 mm
E F22KTOIL3650001



Anti-slip mats are used to increase the coefficient of friction up to $\mu_D 0.6$ in accordance with the calculation principles of DIN EN 12195-1:2004 and VDI 2700 ff. Measurement procedure according to VDI 2700-15.



Kit support brackets for Store Box Roll

F F22**SB00ROLLSU01**

Trolley with wheels with brake for BOX 102-136-238-374 cases

W=650 D=510 H=150 mm

G F22**SB00ROLL0008**



Cylinder holder kit

W=100 H=100 mm

H F22**KTFIR0000001**

Powder fire extinguisher 4 kg

L F22**KTFIR4KG0000**



Example with

2x F22**KTFIR0000001**



Horizontal load securing bar with medium "Airline" fixing joint

W=348 H=50 mm

M F22**FCV180290300**

Horizontal load securing bar with medium "Airline" fixing joint

W=428 H=50 mm

M F22**FCV180290400**

Load securing strap with clamp and medium "Airline" anchoring point
L=1000+140 mm

N F22**FCV228690000**

Load securing strap with ratchet and medium "Airline" anchoring point
L=1000+140 mm

O F22**FCV228680000**



Example with

2x F22**FCV180290300**

2x F22**FCV228690000**



Example with

2x F22**FCV180290300**

2x F22**FCV228680000**



ACCESSORIES FOR VANS




Vice mounting screw kit
for worktop
F22**VT000050Z000**



Professional Work Tech vice
with pipe jaws
for pipes with external Ø 16-40 mm
W=100 D=300 H=138 mm
F22**FABL11500039**




Professional Work Tech vice with swivel base
and pipe jaws
for pipes with external Ø 16-40 mm
W=181 D=300 H=166 mm
IRONTEAM003



Professional Work Tech vice
with pipe jaws
for pipes with external Ø 16-58 mm
W=120 D=375 H=170 mm
F22**FABL11550039**




Professional Work Tech vice with swivel base
and pipe jaws
for pipes with external Ø 16-58 mm
W=218 D=375 H=203 mm
IRONTEAM004



Professional Work Go vice
with pipe jaws
for pipes with external Ø 17-42 mm
W=120 D=333 H=122 mm
F22**FABL11600039**




Professional Work Go vice with swivel base
and pipe jaws
for pipes with external Ø 17-42 mm
W=181 D=333 H=138 mm
IRONTEAM005



Professional Work Go vice
with pipe jaws
for pipes with external Ø 17-48 mm
W=150 D=389 H=150 mm
F22**FABL11650039**



Professional Work Go vice with swivel base
and pipe jaws
for pipes with external Ø 17-48 mm
W=218 D=389 H=171 mm
IRONTEAM006



**CONTROLLED
LOWERING**



The lifting vice workbench is a space-saving solution. The side pin unblocks the mechanism to open the workbench, while a safe closing is guaranteed thanks to an anti-crushing hydraulic braking system. The predrilled worktop is prearranged for the installation of Work Go vices with fixed or swivel base and 100- or 120-mm jaw.

Work Easy lifting vice workbench*
W=265 D=60 H=800 mm
F22**WE0802650001**

* vice not included





Hook with tip*

A FBLIT030000 W=36 D=78 H=42 mm




B FBLIT031000 W=36 D=128 H=42 mm

C FBLIT032000 W=36 D=178 H=42 mm

*Multiple order qty.: 10 pieces



The safety lock stops the hook in a horizontal position and prevents it from moving during tool recovery/storage operations.



ACCESSORIES FOR VANS

Rubber-coated steel cover for Multiplex Work Wood worktop


F22 WW365050AG07	W=510 D=375 H=25 mm
F22 WW365071AG07	W=719 D=375 H=25 mm
F22 WW365101AG07	W=1019 D=375 H=25 mm
F22 WW365122AG07	W=1228 D=375 H=25 mm
F22 WW365152AG07	W=1527 D=375 H=25 mm
F22 WW445050AG07	W=510 D=455 H=25 mm
F22 WW445071AG07	W=719 D=455 H=25 mm
F22 WW445101AG07	W=1019 D=455 H=25 mm
F22 WW445122AG07	W=1228 D=455 H=25 mm
F22 WW445152AG07	W=1527 D=455 H=25 mm




12 V LED lamp with switch
L=600 mm
F22**KTLED0010000**



Passenger seat organizer
W=331 D=513 H=627 mm
F22**KTORG0000039**



Work Wood table with folding legs
W=980 D=423 H=802 mm
F22**WWMOBILE1000**





Single-phase electrical panel
F22**00QAE0110000**



Single-phase electrical panel with insulation monitoring
F22**00QAE0120000**



Three-phase electrical panel
F22**00QAE0130000**



Three-phase electrical panel with insulation monitoring
F22**00QAE0140000**



Winder for compressed air
Cable L=5 m / max MPa 1 pressure
M00**AR00AIR00100**



Electrical winder with Schuko socket
Cable L=5 m / Volt 230 / Watt 800
M00**AR00ELE00100**



Electric air compressor unit
35 litres per minute (single-phase)
W=545 D=460 H=1125 mm
F22**PSAIR2300103**









A BRAND OF
fami



FAMI S.R.L. HEADQUARTERS

VIA STAZIONE ROSSANO, 13 - 36027 ROSÀ (VI) - ITALY

☎ +39 0424 585455

INFO@FAMISPA.COM - WWW.FAMISPA.COM

STORE VAN

☎ +39 0424 585455

INFO@STOREVAN.COM - WWW.STOREVAN.COM